arXiv:astro-ph/0408214v1 12 Aug 2004

Abundances of Extremely Metal-Poor Star Candidates[1]

David K. Lai, Michael Bolte, Jennifer A. Johnson[2], and Sara Lucatello[3]

UCO/Lick Observatory, University of California, Santa Cruz, CA 95064

`david@ucolick.org`, `bolte@ucolick.org`, `Jennifer.Johnson@nrc-cnrc.gc.ca`,
`lucatello@pd.astro.it`

ABSTRACT

We present chemical abundances for 110 stars identified in objective-prism surveys as candidates to be very metal-poor. The abundances are derived from high S/N, intermediate-resolution spectra obtained with the Keck Observatory Echelle Spectrometer and Imager. An additional 25 stars with well-determined abundances ranging from [Fe/H]$= -1.5$ and -3.2 were observed and the results used to help calibrate our analysis and determine the accuracy of our abundance determinations. Abundances for the program stars were measured for Fe, Mg, Ca, Ti, Cr and Ba with an accuracy of approximately 0.3 dex. 53 of the stars in our sample have [Fe/H]≤ -2, 22 have [Fe/H]≤ -2.5 and 13 stars have [Fe/H]≤ -2.9. Surprisingly, approximately one third of the sample is relatively metal rich with [Fe/H]> -1.5. In addition to identifying a number of extremely metal-poor stars, this study also shows that moderate-resolution spectra obtained with the Keck Echelle Spectrometer and Imager yield relatively accurate abundances for stars as faint as $V = 14$ in modest exposure time (~ 20 minutes). This capability will prove useful if the so-far elusive stars at [Fe/H]< -4 turn out to be mostly fainter than $V = 15$.

Subject headings: stars: abundances, stars — Population II — instrumentation: spectrographs

1. Introduction

In the last decade the number of identified extremely metal-poor (EMP) stars with [Fe/H]$<$ -2.5 has increased by almost an order of magnitude. Studies of these relics of the early starformation epoch of the Galaxy have been used for investigations ranging from deriving ages for individual halo stars to improving our knowledge of neutron capture cross-sections in heavy nuclei. The most extreme cases, stars with [Fe/H]< -3, should carry the signatures of only a few post-Big Bang nucleosynthetic events. One of the exciting prospects for investigations in this area is to identify the nature of "Population III" objects through their nucleosynthetic signatures in the atmospheres of [Fe/H]< -3 stars.

---

[2] DAO/HIA/NRC, 5071 West Saanich RD, Victoria, BC V9E 2E7

[3] INAF-OAPD vicolo dell'Osservatorio 5, 35122 Padova Italy

[1] The data presented herein were obtained at the W.M. Keck Observatory, which is operated as a scientific partnership among the California Institute of Technology, the University of California and the National Aeronautics and Space Administration. The Observatory was made possible by the generous financial support of the W.M. Keck Foundation.

The majority of the known stars with [Fe/H]< -3 were discovered as part of the "HK" survey of Beers, Preston & Shectman (1992) (hereafter BPS). Candidates were identified in objective-prism survey plates obtained with either the Burrell Schmidt telescope located at Kitt Peak (leading to the candidates with BS designations) or the Curtis Schmidt telescope located at Cerro Tololo (leading to the candidates with CS designations). Follow-up spectra obtained at low spectral resolution were then used to make rough [Fe/H] estimates and further refine the sample. The objects identified through this process have become the targets for a large number of followup studies with large telescopes and high-resolution spectrometers starting with Mcwilliam et al. (1995) and continuing through the present (e.g. Cayrel et al., 2004).

Many of the BPS candidates from the Curtis Schmidt survey have had fairly secure metal abundances determined. In this paper we present the results of analysis of 110 stars mostly from the BPS survey for metal-poor stars. Many of the candidates from the BS survey have only photometry published. In order to determine [Fe/H] with reasonable accuracy, we obtained spectra of these stars along with those for a number of well-studied abundance "standards" with the Echelle Spectrometer and Imager (ESI) at the Keck 2 telescope (Sheinis et al. 2002, and see brief description below). This spectrometer, with relatively short exposures, produces spectra with high enough resolution and signal-to-noise to measure the abundances of a range of elements from Mg to Ba. In the following sections we discuss the effectiveness and limitations of using ESI for measuring abundances in metal-poor stars and present equivalent-width-based abundances for the program stars. Our principal goal is to identify new EMP stars.

2. Observations

Over several runs and four years, we used ESI to obtain spectra of 110 stars from the lists of BPS and Norris, Beers & Ryan (1999). We also observed 25 metal-poor stars for which high spectral resolution, high quality studies exist in the literature to evaluate the suitability of ESI spectra for measuring chemical abundances. We will refer to stars in this latter group as "abundance standards" for the remainder of the paper. Twelve of the standards were chosen from the objects studied in Fulbright (1999), three from Pilachowski et al. (1996) and three are the globular cluster giants M15-S4, M15-K341, and M92 VII-18 with abundance studies from Kraft & Ivans (2003), Sneden et al. (1997), and Sneden et al. (2000). An additional eight of the BS/CS stars with published high spectral resolution studies were also used as abundance standards.

We chose the BS/CS program objects by targeting the most metal-poor stars from Table 5 of BPS and by selecting the stars from Norris, Beers & Ryan (1999) that showed the largest $U - B$ excess at $B - V$ colors > 0.5.

We used ESI in the echellete mode with the $0\farcs75$-wide slit. This results in a spectral resolution of $R \simeq 7000$ and wavelength coverage from 3900 to 10000 Å. Exposure times ranged from 300 to 1200 seconds. Star designation from the above references, date of observation, exposure time and signal-to-noise at 6035 Å are presented in Table 1 for the standards. Table 2 has the observation details for the program stars, all of which have signal-to-noise values of around 150 per pixel.

3. Data Reduction and Extraction

3.1. Processing

Image preparation and reduction was carried out using IRAF. The spectra were extracted using the echelle package. Scattered light was fit and subtracted with a smooth function calculated from the regions between the spectral orders using the APSCATTER routine. The routine APALL was then used to extract the orders into one-dimensional spectra. The spectra were then normalized using the CONTINUUM routine in IRAF. Although arcs were taken during each run, we found it adequate to use only a single wavelength solution for all of the spectra and make a small (generally less than 5 km s^{-1}) zeropoint correction based on the positions of night sky lines. A sample region from two spectra is shown in Figure 1.

3.2. Equivalent Width Measurements and the Spectral Line List

The program SPECTRE (Fitzpatrick & Sneden 1987) was used to measure equivalent widths of the spectral lines in the extracted, continuum-normalized spectra. In most cases the equivalent widths were measured by Gaussian fitting. In some cases direct integration was used when the line did not approximate well a gaussian profile. The equivalent width measurements are presented in Tables 3, 4, 5, and 6.

The list of atomic lines used in our abundance determinations, including excitation potentials and gf values, is given in Table 7. The list was obtained after some experimentation using the abundance standards spectra. The initial list was based on that used for metal-poor stars in the various HIRES studies of Johnson and collaborators (e.g. Johnson & Bolte 2002). Lines in more crowded regions were discarded because of the resolution limit of ESI. Lines were also discarded if they consistently resulted in discrepant abundances compared to other lines of the same element in the analysis of the abundance standards. Whenever the option was present, we used experimental rather than theoretical or solar gf values. We used the line list for the barium hyperfine splitting given in McWilliam (1998).

4. Abundance Determinations

4.1. Atmospheric Parameters

The usual spectroscopic methods for deriving atmospheric parameters in higher resolution studies (R> 30000) cannot be applied to the ESI spectra analysis. There are in general too few Fe I lines to adjust our values of effective temperature and microturbulent velocity. Additionally, Fe II could not be measured reliably, eliminating the option of using ionization balance to calculate surface gravity.

We therefore derived the atmospheric parameters for each abundance standard using photometric values. In almost all cases we calculated the temperature using $B - V$ values, although when available we used the additional temperature indicator $b - y$. As a check we used $V - K$ derived temperatures as comparisons. As discussed later, we preferred $b - y$ as the temperature indicator for the program sample. We used the method and formulae presented in Alonso, Arribas & Martínez-Roger (1996 and 1999) for transforming colors to $T_{\rm eff}$. The cluster giants had colors too red to obtain accurate temperatures via this method, and we derived abundances for these stars only using already published atmospheric parameters. Given effective temperature, we then obtained surface gravity values using Bergbusch & Vandenberg (1992) isochrones and an initial guess of [M/H]. The photometry of the standards and program stars is presented in Tables 1 and 2, respectively.

Microturbulent velocity (ξ) was assigned in a very simple manner. A velocity of 2 km s^{-1} was assigned to giants (defined here by log $g < 3.0$), 1.5 km s^{-1} to subgiants ($3.0 \leq$ log $g < 3.9$) and 1 km s^{-1} for main-sequence stars (log $g \geq 3.9$). This gives a reasonable agreement with the range of ξ values given in studies such as Cayrel et al. (2004), Johnson (2002), and McWilliam et al. (1995).

Finally, the [M/H] value of the atmosphere was found by iterating on the initial guess until the derived [Fe/H] matched the model value to within 0.2 dex. The formulae of Alonso et al. (1996 and 1999) depend on [M/H], and therefore so do the values for effective temperature and surface gravity according to our methods. We iterate these atmospheric parameters until the metallicity of the atmosphere was similar to the final stellar metallicity. This procedure was carried out on all of the abundance standards and program sample.

4.2. Reddening

We obtained reddening estimates for $B - V$ and $V - K$ using the Schlegel et al. (1998) dust maps. The reddening estimates for the objects with $b - y$ colors were taken directly from the Anthony-Twarog et al. (2000) paper, which is based on the Burstein & Heiles (1982) dust maps.

For almost all of the abundance standard stars no reddening was applied because they are relatively nearby. The exceptions were the BS/CS abundance standards. These objects are on average much further away than the brighter HD/BD standards. For this subset of the standards, the photometry used to derive atmospheric parameters was dereddened. For the program stars we calculated abundances for two cases, one assuming the full column of dust in the direction of the stars, the other assuming no reddening. The atmospheres for the program stars, with and without a reddening correction, are given in Table 8.

4.3. Abundances

We use Kurucz model atmospheres with overshooting, no α-enhancement, and without the new ODF, optical depth function, (http://kurucz.harvard.edu/grids.html) and the LTE line analysis program MOOG, written by Chris Sneden (http://verdi.as.utexas.edu/moog.html), to derive our final abundance results. Based on our careful selection of lines, we assumed the lines in our final line list are unblended.

Table 9 presents the number of lines we measured for each element in each object, and the standard deviations of these measurements. We do not include Cr in this table because we only measure its 5345.81 Å line.

4.4. Radial Velocities

We used the FXCOR routine in IRAF to get cross-correlation-based velocities using two abundance standard stars with velocities closely matching previously published values, HD 63791 and HD 74462 as references. For each program star four separate orders were cross correlated against each velocity standard. Obviously discordant correlation peaks were discarded and the rest averaged. The typical RMS scatter from these measurements was 4 km s^{-1}. As mentioned in §3.1 there was a correction of $\leq$ 5 km s^{-1} based on measurement of night sky lines. This correction is accurate to $\sim$ 1 km s^{-1}ec. There may be an overall offset due to incorrect velocities of our ‘standard’ objects, but taking the above values as our random errors gives a final internal uncertainty of $\sim$ 4.2 km s^{-1}.

5. Comparisons with Previous Studies: Abundance Standards

5.1. Equivalent Widths

Figure 2 compares our equivalent width values with studies that have a significant common set of measured lines. The overlaps are 13 stars and 70 lines for Fulbright (2000), 2 stars and 27 lines for McWilliam et al. (1995), and 3 stars and 65 lines for Johnson (2002). The average offsets, all in the direction of our values minus the previous studies, are 7.3, 7.3, and 6.9 mÅ, for Fulbright (2000), McWilliam et al. (1995), and Johnson (2002), respectively. The standard deviations, also in the same order, came out to 9.4, 12.9, and 8.0 mÅ. We believe the offset is due in part to the lower resolution spectra from ESI. Even with our careful selection of lines, our study may still have blending from additional lines not affecting these higher resolution measurements. This effect would make our abundances systematically too high, an effect which will be discussed in more detail in a following section. We did institute a cut-off by excluding lines with measured equivalent widths greater than 200 mÅ in our analysis. The best fit lines from Figure 2 does not include the few points shown to have been measured greater than 200 mÅ, nor are these points included when calculating the offset values.

5.2. Atmospheres

Figure 3 compares atmospheric parameters we derived from photometric values compared to parameters given by Fulbright (1999) and Pilachowski et al. (1996). Overall our atmospheric parameters are close to published values shown in Table 10. Our final results are summarized in Table 11. The standard deviation for temperatures derived from $B-V$ temperatures is 125 K; the value is reduced to 118 K for $b-y$ temperatures. For this reason we used $b-y$ determined temperatures for the program sample when it was available. For log$g$ values determined by $B-V$ and $b-y$ derived temperatures, the standard deviations are both 0.46 dex. The atmospheric values determined from $V-K$ are very similar to the other colors, and the standard deviations are 127 K in temperature, and 0.54 in log$g$.

5.3. [Fe/H]

We plot Δ[Fe/H] (in the sense of our values minus previous values) versus atmospheric parameters in Figure 4. There is a $\sim$ 0.12 dex offset between our values compared to previously published values and small trends in log$g$, $T_{\rm eff}$ and ξ.

Figure 4 suggests our giant and subgiant metallicities are approximately 0.1 dex too high, while dwarfs are an additional 0.2 dex too high. The overall offset follows directly from Figure 2 which show that our equivalent widths are measured consistently too high in comparison to the higher resolution study. In a test case of a typical object, decreasing all of the equivalent widths by 7.0 mÅ yielded a metallicity 0.1 dex lower than the previous value, fitting the offset almost perfectly. The trend with surface gravity, which is also apparent in $T_{\rm eff}$ and ξ, is more difficult to understand, but may be a result of our simple assumption about ξ. However, for the purpose of this work, to identify the bona-fida EMP stars in the candidate lists, these accuracies for [Fe/H] are more than sufficient.

5.4. Other Elements

The abundance results for the standards are presented in Tables 12, 13, and 14. The final results are also plotted in Figures 5, 6, and 7. The sense of the plots is our abundance value minus the previously published value.

The agreement is generally within a factor of two, and roughly consistent with errors calculated from atmosphere values. In all of the figures lines have been drawn at ±0.3 dex. We have also marked the objects from the Pilachowski et al. (1996) work with diamond symbols. We measure the α-element abundances too high relative to this previous study. Without these points, our measurements are fairly consistent with the other previous values, but we may be measuring Ti II too high overall.

We also carried out an average of the α-elements for comparisons. This is shown in Figure 8. Though there is a noticeable scatter in the comparisons, we do quite well in reproducing the α abundances to within 0.15 dex.

6. Abundance Errors

There are three main components to the abundance error budget. The errors in adopted model atmosphere, uncertainties in the equivalent-width measurements and errors in the atomic line parameters all contribute to the final abundance uncertainty. These are discussed below. An estimate of the combined errors can be derived from the scatter in Figures 5, 6, and 7 where we compare our abundance measurements to the high-quality literature values for the 25 "standard" stars. The RMS values of those differences give a good estimate of the accuracy of our abundance measurements. The $B-V$ atmosphere derived abundances compared to the abundances of previous studies give standard deviations of 0.16, 0.22, 0.20, 0.23, 0.18, and 0.22 dex in Fe, Mg, Ca, TII, Cr, Ba II abundances, respectively.

6.1. Errors due to uncertainties in the adopted atmosphere parameters

The sensitivity of [Fe/H] and other element abundances to each atmospheric parameter was determined by varying each input parameter while holding the others fixed and deriving the abundance. Three stars were chosen for this analysis, HD 94028, BD+37 1458, and CS 22892-052, picked to represent dwarfs, sub-giants, and giants respectively.

We then calculated the atmospheric error assuming uncertainties of ±125 K in $T_{\rm eff}$, ±0.5 dex in $\log g$, ±0.5 km s^{-1} in ξ, and ±0.2 in [Fe/H], and then adding the resulting [Fe/H] variations in quadrature. The errors for effective temperature and surface gravity were estimated by taking the standard deviation from the differences between the previously published values and our $B - V$

atmospheric values. One cross term was taken into account because of the coupling of T_{eff} and log$g$. Varying the T_{eff} by +125 K in HD 94028, BD+37 1458, and CS 22892-052, gave changes in log$g$ of -0.04 dex, 0.17 dex, and 0.38 dex, respectively. This effect was then added into the quadrature sum. Although the T_{eff} and log$g$ are also dependent on [M/H], the error caused by [M/H] variation is so small that those cross terms have a negligible effect.

Tables 15, 16, and 17 give the values used in this analysis and the effects on the three stars. The final error estimate includes the T_{eff} and log$g$ coupling term. For all three stars the final errors are approximately the same, 0.2 dex for [Fe/H], [TII/Fe], and [Ba II/Fe], and 0.1 dex for [Mg/Fe], [Ca/Fe], [Cr/Fe].

6.2. Errors due to uncertainties in the equivalent width measurements and atomic parameters for individual absorption lines

When there are multiple lines measured for an element, Table 9 gives an estimate for the error from equivalent width and atomic parameters. The error for the case when only one line is measured is less obvious. Therefore we turn back to our abundance standard comparisons. To match the errors from rms scatter (an estimate of the total error) and get answers that agree with the literature abundances, a value of about 0.1 dex, i.e. 0.17 dex when adding in quadrature, needs to be added to the atmospheric errors in Mg, Ca, and Cr. We assume that this additional scatter arises from the combination of equivalent width measurement error and incorrect atomic parameters. In general the σ's from Table 9 are in this 0.1 to 0.15 dex range, including the TII and Ba II measurements. A conservative estimate for our errors would then be our atmospheric errors plus 0.15 dex (or 0.23 dex when adding in quadrature). This gives agreement with general errors when multiple lines are measured, and gives confidence in assigning this value to when only one line is used in the abundance determination.

7. Results

For the program CS/BS stars we carried out the same analysis as for the abundance standards. The final abundance results are presented in Tables 18 and 19 for the two cases with and without reddening correction. There are a number of stars with [Fe/H]> -1.5. We did not include abundance standards with [Fe/H]> -1.5 and make no claim of accuracy for these 'metal-rich' stars. We can say with certainty that they are relatively metal-rich. The radial velocities for each of these objects is presented in Table 8.

8. Discussion

Figure 9 shows the abundance distribution for our program stars. Because of poorly-characterized selection functions that have shaped our sample, the metallicity distribution is not meaningful. However, our goal was to identify bona-fida EMP stars for further study, and Figure 9 shows that we have a number of EMP stars. There are 30 stars with [Fe/H]< -2.5 for which no detailed abundance studies have been carried out, and for which we have measured the abundances to an accuracy of about 0.3 dex. Surprisingly, nearly 25% of the sample turned out to be relatively metal-rich, i.e. [Fe/H]> -1.5.

The upper panel of Figure 10 shows the summed α-element abundance ratios for the stars in our sample. Although the scatter is large, we see that well known property of super-solar [α/Fe] for metal-poor stars is reproduced in these stars. The trend towards solar [α/Fe] with increasing [Fe/H] is also noticeable, even though our errors may be much larger in this regime. The lower panel of Figure 10 plots the Ba trend with [Fe/H]. The behavior is consistent with the trend shown in Figure 2 in McWilliam (1998). The Ba-rich star in Figure 10, CS 31062-050 has already been the subject of a recent study by Johnson & Bolte (2004). We are currently obtaining and analyzing high-resolution spectra of many of the EMP stars that we have identified in this study.

The ESI instrument has proven capable of identifying EMP stars in a very efficient manner down to $V \sim 14.5$. Exposures times ranging from 10 to 20 minutes produced very good signal to noise data for the faintest of the BS/CS sample. From these data we are able to measure abundances well enough to measure [Fe/H] to very low values with a precision of ~ 0.3 dex, and discover low α stars, as well as find stars with anamolously high Ba.

9. Acknowledgements

This research is based in part upon work supported by the National Science Foundation under Grant Number AST-0098617 Any opinions, findings, and conclusions or recommendations expressed in this material are those of the author(s) and do not necessarily reflect the views of the National Science Foundation. The authors wish to recognize and acknowledge the very significant cultural role and reverence that the summit of Mauna Kea has always had within the indigenous HawaIIan community. We are most fortunate to have the opportunity to conduct observations from this mountain.

REFERENCES

Allende Prieto, C., Rebolo, R., García López, R.J., & Serra-Ricart, M. 2000, AJ, 120, 1516

Alonso, A., Arribas, S., & Martínez-Roger, C. 1996, A&A, 313, 873

Alonso, A., Arribas, S., & Martínez-Roger, C. 1999, A&AS, 139, 335

Anthony-Twarog, B. J., Sarajedini, A., Twarog, B. A., & Beers, T. C. 2000, AJ, 119, 2882

Aoki, W., Ryan, S. G., Norris, J. E., Beers, T. C., Ando, H., & Tsangarides, S. 2002, 580, 1149

Bard, A., Kock, A., & Kock, M. 1991, A&A, 248, 315

Beers, T. C., Chiba, M., YoshII, Y., Platais, I., Hanson, R. B., Fuchs, B., & Rossi, S. 2000, AJ, 119, 2866

Beers, T. C., Preston, G. W., & Shectman, S. A. 1992, AJ, 103, 1987

Bergbusch, P. A. & Vandenberg, D. A. 1992, ApJS, 81,163

Bizzarri, A., Huber, M. C. E., Noels, A., Grevesse, N., Bergeson, S. D., Tsekeris, P., & Lawler, J. E. 1993, A&A, 273, 707

Blackwell, D. E., Menon, S. L. R., & Petford, A. D. 1984, MNRAS, 207, 533

Blackwell, D. E., Petford, A. D., Shallis, M. J., & Simmons, G. J. 1982, MNRAS, 199, 43

Blackwell, D. E., Petford, A. D., Shallis, M. J., & Simmons, G. J. 1980, MNRAS, 191, 445

Blackwell, D. E., Petford, A. D., & Shallis, M. J. 1979, MNRAS, 186, 657

Bonifacio, P., Monai, S., & Beers, T. C. 2000, AJ, 120, 2065

Bragaglia, A., et al. 2001, AJ, 121, 327

Burstein, D. & Heiles, C. 1982, AJ, 87, 1165

Carretta, E., Gratton, R., Cohen, J. G., Beers, T. C., & Christlieb, N. 2002, AJ 124, 481

Cayrel, R., Depagne, E., Spite, M., Hill, V., Spite, F., Franois, P., Plez, B., Beers, T. C., Primas, F., Andersen, J., Barbuy, B., Bonifacio, P., Molaro, P., & Nordstrm, B. 2004, A&A, 416, 1117

Clementini, G., et al. 2000, AJ, 120, 2054

Cohen, J. G., Christlieb, N., Beers, T. C., Gratton, R., & Carretta, E. 2002, AJ, 124, 470

Fitzpatrick, M. J. & Sneden, C. 1987, BAAS, 19, 1129

Fuhr, J. R., Martin, G. A., & Wiese, W. L. 1988, J. Phys. Chem. Ref. Data, 17, 4

Fulbright, J. P. 2000, AJ, 120, 1841

Giridhar, S., Lambert, D. L., Gonzalez, G., & Pandey, G. 2001, PASP, 113, 519

Hill, V., et al. 2002, A&A, 387, 560

Johnson, J. A. & Bolte, M. 2002, ApJ, 579, 87

Johnson, J. A. & Bolte, M. 2004, ApJ, 605, 462

Jönsson, G., Kröll, S., Persson, A., & Svanberg, S. 1984, Phys. Rev. A, 30, 2429

Kraft, R. P. & Ivans, I. I. 2003, PASP, 115, 143

Kupka F., Piskunov N. E., Ryabchikova T. A., Stempels H. C., & Weiss W. W. 1999, A&AS 138, 119

Magain, P. 1985, A&A, 146, 95

Martin, G. A., Fuhr, J. R., & Wiese, W. L. 1988, J. Phys. Chem. Ref. Data, 17, 3

McWilliam, A., Preston, G. W., Sneden, C., & Searle, L. 1995, AJ, 109, 2757

McWilliam, A. 1998, AJ, 115, 1640

Norris, J. E., Ryan, S. G., & Beers, T. C. 1997, ApJ, 489, L169

O'Brian, T. R., Wickliffe, M. E., Lawler, J. E., Whaling, W., & Brault, J. W. 1991, J. Opt. Soc. Am. B, 8, 1185

Pilachowski, C. A., Sneden, C., & Kraft, R. P. 1996, AJ, 111, 1689

Schlegel, D., Finkbeiner, D., & Davis, M., 1998, ApJ, 500, 525

Sheines, A. I., Bolte, M., Epps, H. W., Kibrick, R. I., Miller, J. S., Radovan, M. V., Bigelow, B. C., & Sutin, B. M. 2002, PASP, 114, 851

Smith, G. & Raggett, D. St. J. 1981, J. Phys. B, 14, 4015

Sneden, C., Kraft, R. P., Shetrone, M. D., Smith, G. H., Langer, G. E., & Prosser, C. F. 1997, AJ, 114, 1964

Sneden C., Pilachowski C. A., & Kraft, R. P. 2000, AJ, 120, 1351

Sneden C., et al. 2003, ApJ, 591, 936

Wiese, W. L., & Martin, G. A. 1980, Wavelengths and Transition Probabilities for Atoms and Atomic Ions, NSRDS-NBS 68 (Washington: NBS)

Zhao, G. & Magain, P. 1990, A&AS, 86, 85

This preprint was prepared with the AAS LaTeX macros v5.2.



Fig. 1.— Sample regions of two spectra. Both have had been corrected to rest frame velocity and identified features have been labeled.



Fig. 2.— Equivalent width comparisons with Fulbright et al. (2000), McWilliam et al. (1995), and Johnson (2002). The dashed lines are the one-to-one lines, and the solid lines represent the best fit lines. The slopes for each best fit line are 0.93, 0.90, and 0.92, and the intercepts are -1.2, 2.4, and 0.1 mÅ, in the same order as listed before.



Fig. 3.— Atmospheric parameters comparison for the standards, plotting our derived parameters versus previously published parameters. The solid line is the one-to-one line.



Fig. 4.— A plot of atmospheric trends. The error bars are the errors derived from atmospheric variations (∼0.2 dex) added to the standard deviations from the line to line variations. The diamond symbols represent the CS/BS standard stars, the * represents the globular cluster stars, and the crosses all others.



Fig. 5.— Element by Element comparison using literature atmopsheres. The diamond symbols represent Pilachowski et al. (1996) stars, and the * all other standards.



Fig. 6.— Element by Element comparison using $B - V$ atmopsheres. The diamond symbols represent Pilachowski et al. (1996) stars, and the * all other standards.



Fig. 7.— Element by Element comparison using $b-y$ atmopsheres. The diamond symbols represent Pilachowski et al. (1996) stars, and the * all other standards.



Fig. 8.— Comparisons of α elements of the standards with literature values. The sense is our values minus literature. Abundances are derived from (a) literature values, (b) $B-V$ atmospheres, and (c) $b-y$ atmospheres. The average of the offset, the dased lines, are 0.06, 0.09, and 0.09 dex, respectively.



Fig. 9.— The program star metallicity distribution using bins of 0.2 dex in [Fe/H].



Fig. 10.— Trends of averaged α and barium abundances of the program stars versus metallicity. The arrows represent upper limits for the Ba abundances. A representative error bar is shown in the lower left hand corner of each plot. A line averaging the α values in bins of 0.25 dex in [Fe/H] is also included in the top plot.

Table 1. Photometry of Abundance Standards

Star ID	V (mag)	$B-V$ (mag)	$b-y$ (mag)	$V-K$ (mag)	Adopted $E(B-V)$	Phot. Ref.	Exp. Time (s)	S/N at 6035 Å
BD-03 2525	9.67	0.48	0.349	1.48	0.00	1,2	60	324
BD+02 3375	9.93	0.45	0.352	1.45	0.00	1,2	240	273
BD+23 3130	8.95	0.64	···	2.00	0.00	4	120	330
BD+37 1458	8.92	0.60	0.432	1.83	0.00	1,2	60	245
HD 6755	7.73	0.72	0.487	2.06	0.00	1,2	8	170
HD 44007	8.06	0.84	0.559	2.37	0.00	1,2	15	252
HD 63791	7.92	0.85	0.612	2.49	0.00	2,3	10	343
HD 74462	8.69	0.97	0.655	2.69	0.00	1,2	70	276
HD 84937	8.28	0.40	0.302	1.24	0.00	1,2	30	292
HD 94028	8.23	0.47	0.344	1.39	0.00	1,2	30	245
HD 115444	9.00	0.78	0.586	2.38	0.00	1,2	10	276
HD 122563	6.20	0.91	0.639	2.47	0.00	1,2	20	170
HD 163810	9.62	0.60	0.424	1.78	0.00	1,2	60	217
HD 204543	8.31	0.87	0.635	2.53	0.00	1,2	30	191
M15-S4	12.79	1.34	···	···	0.11	5	600	148
M15-K341	12.79	1.33	···	···	0.11	6	600	208
M92 VII-18	12.18	1.29	···	···	0.02	6	480	250
BS 16085-050	12.16	···	0.562	2.22	0.00	7	450	219
CS 22166-016	12.73	0.59	···	1.97	0.02	8	600	201
CS 22183-015	13.74	0.68	···	···	0.03	3,8	1200	183
CS 22878-101	13.79	0.71	0.559	2.42	0.09	7,9	600	214
CS 22892-052	13.96	0.75	···	2.25	0.03	8	600	128
CS 22898-027	12.76	0.50	0.396	···	0.06	7	900	159
CS 22949-048	13.66	0.74	···	···	0.02	10	900	222
CS 31082-001	11.67	0.75	0.542	2.21	0.02	7,11	600	284

Note. — V magnitudes taken from Simbad, and K magnitudes are taken from the Two Micron All Sky Survey.

References. — (1) $B-V$ data taken from average Simbad values; (2) $b-y$ values from Hauck & Mermilliod 1998; (3) $B-V$ from Suntzeff et al. 1998;(4) $B-V$ from Carney & Latham 1987; (5)

$B-V$ from Sneden 1997; (6) $B-V$ from Sneden 2000;(7) $b-y$ from Anthony-Twarog 2000;(8) $B-V$ from Beers et al. 2000; (9) $B-V$ from Cohen et al. 2002; (10) $B-V$ from Sneden et al. 2003;(11) $B-V$ from Hill et al. 2002

Table 2. Program Star Photometry

Star ID	V	$B-V$	$E(B-V)$	$b-y$	$c1$	$(b-y)_o$	$c1_o$	Ref.	Exp. time	Date obs.
BS 16076-006	13.56	···	···	0.424	0.730	0.398	0.725	1	900	2003 Apr 28
BS 16077-007	12.35	···	···	0.338	0.193	0.338	0.193	1	400	2001 jan 21
BS 16080-054	12.79	···	···	0.564	0.474	0.562	0.474	1	450	2001 Jul 7
BS 16080-093	13.61	0.69	0.02	···	···	···	···	2	600	2001 Jul 7
BS 16084-160	13.16	···	···	0.615	0.473	0.610	0.472	1	450	2001 Jul 7
BS 16467-062	14.03	···	···	0.480	0.222	0.480	0.222	1	900	2003 Apr 28
BS 16470-073	14.16	0.73	0.04	···	···	···	···	3	900	2003 Apr 23
BS 16470-092	13.94	0.48	0.03	···	···	···	···	3	1200	2003 Apr 23
BS 16472-018	13.56	···	···	0.539	0.371	0.513	0.366	1	600	2003 Apr 23
BS 16472-081	13.86	0.89	0.08	···	···	···	···	3	900	2003 Apr 23
BS 16477-003	14.19	···	···	0.558	0.324	0.548	0.322	1	900	2001 Jul 7
BS 16543-092	14.16	···	···	0.666	0.720	0.664	0.720	1	900	2003 Apr 23
BS 16546-076	13.68	0.86	0.03	···	···	···	···	3	600	2001 Jul 7
BS 16547-005	12.89	0.88	0.14	···	···	···	···	3	600	2003 Apr 23
BS 16547-006	14.02	0.56	0.14	···	···	···	···	3	900	2003 Apr 23
BS 16547-025	13.62	0.78	0.11	···	···	···	···	3	600	2003 Apr 23
BS 16547-032	13.91	0.75	0.12	···	···	···	···	3	800	2003 Apr 23
BS 16547-072	13.43	0.83	0.18	···	···	···	···	3	600	2003 Apr 23
BS 16547-082	13.94	0.79	0.16	···	···	···	···	3	800	2003 Apr 23
BS 16547-099	14.15	0.68	0.20	···	···	···	···	3	800	2001 Jul 7
BS 16550-087	13.76	0.83	0.03	···	···	···	···	3	900	2003 Apr 23
BS 16551-058	13.49	0.80	0.09	···	···	···	···	3	600	2003 Apr 23
BS 16559-060	14.14	0.72	0.17	···	···	···	···	3	900	2003 Apr 23
BS 16559-083	13.73	0.72	0.12	···	···	···	···	3	900	2003 Apr 23
BS 16559-108	14.23	0.75	0.10	···	···	···	···	3	900	2003 Apr 23
BS 16920-017	13.93	0.76	0.01	···	···	···	···	2	1000	2001 jan 21
BS 16928-053	13.54	0.84	0.01	···	···	···	···	2	600	2003 Apr 23
BS 16929-005[†]	13.5	0.64	···	···	···	···	···	4	900	2003 Apr 23
BS 16934-009	12.73	1.27	0.02	···	···	···	···	3	400	2001 Jul 7
BS 16934-060	14.03	···	···	0.480	0.222	0.480	0.222	1	1000	2003 Apr 23
BS 16934-072	14.13	0.41	0.02	···	···	···	···	3	1000	2003 Apr 23
BS 16945-054	13.67	···	···	0.450	0.198	0.450	0.198	1	600	2003 Apr 23
BS 16972-003	14.28	0.40	0.02	···	···	···	···	3	900	2003 Apr 23
BS 16972-013	13.58	···	···	0.380	0.278	0.363	0.275	1	900	2003 Apr 23
BS 16981-009	13.66	···	···	0.466	0.281	0.454	0.279	1	600	2001 Jul 7
BS 16981-018	13.78	0.79	0.05	···	···	···	···	3	600	2001 Jul 7
BS 16986-072	13.37	···	···	0.691	0.538	0.667	0.533	1	900	2003 Apr 23
BS 17139-007[†]	14.3	0.45	···	···	···	···	···	4	1200	2001 jan 21
BS 17139-018	14.38	···	···	0.404	0.515	0.393	0.513	1	1200	2001 jan 21
BS 17439-003	13.00	0.52	0.06	···	···	···	···	3	600	2003 Apr 23
BS 17439-038	13.48	0.69	0.05	···	···	···	···	3	600	2003 Apr 23
BS 17439-062	13.14	0.57	0.06	···	···	···	···	3	600	2003 Apr 23
BS 17444-032[†]	13.2	0.44	···	···	···	···	···	4	720	2001 jan 21
BS 17444-055	13.98	···	···	0.515	0.529	0.489	0.524	1	900	2001 jan 21
BS 17446-025[†]	···	0.44	···	···	···	···	···	4	750	2001 Jul 7
BS 17570-090	13.15	···	···	0.347	0.348	0.337	0.346	1	600	2001 jan 21

Table 2—Continued

Star ID	V	$B-V$	$E(B-V)$	$b-y$	$c1$	$(b-y)_o$	$c1_o$	Ref.	Exp. time	Date obs.
BS 17572-048	13.96	0.56	0.04	···	···	···	···	3	600	2003 Apr 23
BS 17572-067	13.37	0.44	0.03	···	···	···	···	3	900	2001 jan 21
BS 17576-002	10.53	0.44	0.04	···	···	···	···	3	120	2001 jan 21
BS 17576-071	12.26	0.43	0.04	···	···	···	···	3	400	2001 jan 21
BS 17577-054	13.76	0.60	0.05	···	···	···	···	3	600	2003 Apr 23
BS 17581-042	13.75	0.53	0.05	···	···	···	···	3	900	2000 Mar 8
BS 17581-052	12.93	0.72	0.03	···	···	···	···	3	600	2001 jan 21
BS 17581-093	13.03	0.50	0.05	···	···	···	···	3	600	2001 jan 21
BS 17581-101	12.80	0.69	0.04	···	···	···	···	3	600	2001 jan 21
BS 17581-113	12.93	0.56	0.05	···	···	···	···	3	600	2003 Apr 23
BS 17585-080	13.16	···	···	0.809	0.590	0.608	0.550	1	900	2000 Aug 8
BS 17587-003	13.12	0.56	0.04	···	···	···	···	3	600	2003 Apr 23
BS 17587-016	13.24	0.51	0.04	···	···	···	···	3	600	2003 Apr 23
BS 17587-021	13.23	0.68	0.05	···	···	···	···	3	720	2001 jan 21
BS 17587-041	11.59	1.42	0.06	···	···	···	···	3	250	2001 jan 21
BS 17587-099	13.70	0.59	0.05	···	···	···	···	3	900	2001 jan 21
BS 17587-118	13.42	0.64	0.05	···	···	···	···	3	900	2001 jan 21
CS 22174-012	14.98	···	···	0.545	0.621	0.517	0.615	1	600	2000 Aug 8
CS 22180-005*	14.02	0.50	0.03	···	···	···	···	5	1800	1999 Oct 26
CS 22183-031	13.62	0.62	0.04	···	···	···	···	5	900	2000 Aug 8
CS 22185-007	13.34	0.71	0.06	···	···	···	···	5	900	1999 Nov 30
CS 22189-003	13.54	···	···	0.289	-0.34	0.273	-0.34	1	900	2001 jan 21
CS 22190-007	14.20	0.46	0.03	···	···	···	···	5	900	1999 Nov 30
CS 22880-086	14.41	0.64	0.07	···	···	···	···	5	600	1999 Sep 27
CS 22883-020	14.58	0.44	0.03	···	···	···	···	3	1000	2003 Apr 23
CS 22890-077	10.97	1.18	0.11	···	···	···	···	3	450	2003 Apr 23
CS 22893-010	14.74	0.59	0.04	···	···	···	···	5	900	1999 Sep 28
CS 22944-032	13.28	0.59	0.04	···	···	···	···	5	600	1999 Sep 28
CS 22949-029*	14.63	0.43	0.05	···	···	···	···	5	600	1999 Nov 29
CS 22950-153	13.73	···	···	0.489	0.372	0.441	0.362	1	600	2000 Aug 8
CS 22957-022	13.35	···	···	0.509	0.394	0.494	0.391	1	900	2000 Aug 28
CS 22962-006	12.85	···	···	0.298	-0.015	0.282	-0.018	1	600	2001 jan 21
CS 22963-004	14.98	0.53	0.05	···	···	···	···	5	600	1999 Nov 26
CS 22965-016*	14.05	0.75	0.04	···	···	···	···	5	600	1999 Nov 29
CS 22965-029	13.76	···	···	0.456	0.508	0.412	0.499	1	600	2000 Aug 28
CS 29497-040	13.86	0.58	0.02	···	···	···	···	3	900	2000 Aug 8
CS 29502-092	11.88	0.77	0.10	···	···	···	···	3	600	2000 Aug 28
CS 29510-008	13.74	0.57	0.02	···	···	···	···	3	600	2000 Aug 8
CS 29510-058	13.53	0.67	0.02	···	···	···	···	3	900	2000 Aug 8
CS 29517-025*	14.15	0.55	0.03	···	···	···	···	5	600	1999 Nov 29
CS 30301-043	13.00	1.22	0.06	···	···	···	···	3	450	2003 Apr 23
CS 30306-082[†]	···	0.58	···	···	···	···	···	4	900	2003 Apr 23
CS 30306-110	13.12	0.47	0.05	···	···	···	···	3	600	2003 Apr 23
CS 30306-126	13.81	0.52	0.04	···	···	···	···	3	600	2003 Apr 23
CS 30311-012	13.91	0.90	0.03	···	···	···	···	3	1100	2001 jan 21
CS 30311-050	12.57	0.55	0.03	···	···	···	···	3	600	2003 Apr 23

Table 2—Continued

Star ID	V	$B-V$	$E(B-V)$	$b-y$	$c1$	$(b-y)_o$	$c1_o$	Ref.	Exp. time	Date obs.
CS 30315-093	14.14	0.54	0.02	···	···	···	···	3	900	2000 Aug 28
CS 30320-006	14.41	0.51	0.02	···	···	···	···	3	1000	2003 Apr 23
CS 30320-069	14.51	···	···	0.312	0.194	0.299	0.191	1	1200	2003 Apr 23
CS 30325-028	12.88	0.76	0.04	···	···	···	···	3	450	2001 Jul 7
CS 30329-078	13.85	0.73	0.15	···	···	···	···	3	600	2001 Jul 7
CS 30329-129	14.11	0.70	0.13	···	···	···	···	3	800	2001 Jul 7
CS 30331-018	14.07	0.66	0.05	···	···	···	···	3	600	2000 Aug 8
CS 30332-067	14.18	0.57	0.05	···	···	···	···	3	600	2000 Aug 28
CS 30332-114	14.13	0.59	0.12	···	···	···	···	3	900	2000 Aug 8
CS 30338-119	13.82	0.59	0.05	···	···	···	···	3	900	2000 Aug 28
CS 31060-030	13.56	0.54	0.02	···	···	···	···	3	900	2000 Aug 28
CS 31060-043	11.53	0.61	0.03	···	···	···	···	3	600	2000 Aug 8
CS 31061-062	13.89	···	···	0.447	0.304	0.417	0.298	1	600	2000 Aug 8
CS 31062-050	13.04	0.64	0.03	···	···	···	···	3	900	2000 Aug 8
CS 31069-064	13.89	0.59	0.02	···	···	···	···	3	900	2000 Aug 8
CS 31070-058	13.52	···	···	0.562	0.414	0.538	0.409	1	900	2000 Aug 28
CS 31078-018	13.21	···	···	0.547	0.251	0.488	0.239	1	900	2000 Aug 8
CS 31083-059	13.41	0.77	0.27	···	···	···	···	3	900	2000 Aug 8
CS 31085-024	14.00	0.81	0.11	···	···	···	···	3	900	2000 Aug 8
CS 31088-083	13.37	0.69	0.09	···	···	···	···	3	900	2000 Aug 8

[†] The photometry information from Allende Prieto et al. 2000 was derived directly into dereddened colors from R $\simeq$ 2000 spectra, and therefore we do not apply a reddening correction to any of these stars.

[*] These spectra were taken with a $1\farcs25$-wide slit, and therefore the standard calibrations do not fully apply to them.

References. — (1) Anthony-Twarog et al. 2000; (2) Bonifacio et al. 2000; (3) Norris et al. 1997;(4) Allende Prieto et al. 2000; (5) Beers et al. 2000

Table 3. EW measurements of Mg and Ca in mÅ

Star ID	MgI 4167.27	MgI 5172.69	MgI 5183.61	MgI 5528.41	CaI 4425.44	CaI 5586.76	CaI 6122.22	CaI 6162.18	CaI 6439.08	CaI 6471.66	CaI 6717.68
BD-03 2525	···	···	···	100.2	73.2	···	82.1	93.1	69.2	···	···
BD+02 3375	45.1	···	···	61.6	35.0	···	38.5	57.2	45.2	···	···
BD+23 3130	···	···	···	70.3	38.9	42.1	54.7	70.5	52.6	···	···
BD+37 1458	···	···	···	96.5	67.9	···	74.0	81.9	70.5	···	···
HD 6755	···	···	···	128.9	86.1	···	125.3	129.1	113.3	···	50.4
HD 44007	···	···	···	142.1	121.7	···	120.9	166.3	109.2	65.4	66.7
HD 63791	···	···	···	143.0	114.0	···	130.8	165.5	126.6	71.6	64.7
HD 74462	···	···	···	166.8	141.9	···	142.5	···	136.0	···	86.0
HD 84937	···	···	177.1	···	···	···	36.6	60.5	43.2	···	···
HD 94028	126.1	···	···	121.2	86.5	···	100.8	116.0	92.3	···	···
HD 115444	···	···	···	58.6	37.3	38.3	58.8	63.7	45.4	···	···
HD 122563	57.6	···	···	74.4	67.4	···	82.5	83.1	56.2	24.2	···
HD 163810	184.9	···	···	193.7	121.5	···	160.3	···	119.7	48.8	53.9
HD 204543	···	···	···	135.2	···	···	133.4	157.6	128.0	56.2	64.3
M15-K341	···	···	···	123.0	82.7	···	114.8	166.7	105.7	···	46.3
M15-S4	···	···	···	···	68.4	···	128.6	142.2	107.6	49.4	37.2
M92 VII-18	···	···	···	···	104.6	···	136.8	148.6	123.7	···	···
BS 16085-050*	···	···	···	69.7	46.4	···	45.1	57.6	···	···	···
CS 22166-016	59.7	···	198.9	66.9	45.9	43.2	35.4	53.3	39.2	···	···
CS 22183-015	···	164.1	199.4	···	···	···	···	44.1	···	···	···
CS 22878-101	···	···	200.0	···	···	···	···	···	···	···	···
CS 22892-052	···	···	180.0	52.9	···	···	43.7	···	36.5	···	···
CS 22898-027	···	117.8	···	···	···	···	···	···	42.2	···	···
CS 22949-048*	···	···	178.6	···	···	···	27.6	···	27.1	···	···
CS 31082-001	···	···	···	65.0	···	53.5	51.0	72.2	48.4	···	···
BS 16076-006*	···	113.9	135.1	···	···	···	···	···	···	···	···
BS 16077-007*	···	94.0	126.7	29.3	12.9	···	···	27.6	···	···	···
BS 16080-054	51.6	···	···	51.6	46.5	···	···	75.3	50.1	···	···
BS 16080-093	···	···	···	47.9	30.1	···	···	56.9	···	···	···
BS 16084-160*	···	···	···	44.9	···	···	45.6	47.0	23.0	···	···
BS 16467-062*	···	102.6	116.4	···	23.7	···	···	···	···	···	···
BS 16470-073	···	···	···	···	···	···	···	···	197.4	···	127.6
BS 16470-092	78.6	···	···	83.9	48.4	···	70.3	82.3	57.0	···	···
BS 16472-018	82.0	···	···	71.9	69.1	59.5	65.9	87.9	64.2	···	···
BS 16472-081	···	···	···	163.8	···	···	133.5	185.6	130.2	···	···
BS 16477-003	···	···	199.8	···	20.6	···	···	···	···	···	···
BS 16543-092	···	···	···	116.6	85.7	82.7	106.6	117.1	83.8	···	···
BS 16546-076	···	···	···	···	···	···	···	···	128.6	···	···
BS 16547-005	···	···	···	139.8	103.8	···	117.9	137.4	103.2	···	58.7
BS 16547-006	···	143.0	178.6	35.1	···	···	19.5	33.9	···	···	···
BS 16547-025	···	···	···	119.5	103.2	104.5	124.3	124.3	116.6	50.6	···
BS 16547-032	···	···	···	···	···	···	···	···	186.9	···	121.4
BS 16547-072	···	···	···	···	···	···	···	···	194.8	99.3	121.8
BS 16547-082	···	···	···	···	···	···	···	···	···	97.9	124.6
BS 16547-099	159.5	···	···	···	···	84.2	···	114.9	104.2	···	···

Table 3—Continued

Star ID	MgI 4167.27	MgI 5172.69	MgI 5183.61	MgI 5528.41	CaI 4425.44	CaI 5586.76	CaI 6122.22	CaI 6162.18	CaI 6439.08	CaI 6471.66	CaI 6717.68
BS 16550-087	···	···	179.7	52.8	···	···	25.7	···	···	···	···
BS 16551-058	92.0	···	···	120.7	92.8	87.2	115.3	124.6	108.6	···	···
BS 16559-060	···	···	···	···	153.5	···	166.3	···	138.1	59.4	78.9
BS 16559-083	···	···	···	···	168.1	···	196.4	···	156.2	···	···
BS 16559-108	···	···	···	···	171.1	···	···	···	191.2	91.2	110.7
BS 16920-017*	···	···	163.8	29.9	24.1	···	···	···	···	···	···
BS 16928-053	40.9	···	195.0	61.2	44.3	···	53.7	76.8	46.0	···	···
BS 16929-005	···	···	159.6	27.0	···	···	···	···	···	···	···
BS 16934-009	···	···	···	···	···	···	···	···	199.1	137.2	···
BS 16934-072	55.4	···	···	87.0	56.1	57.0	···	66.5	···	···	···
BS 16945-054	···	137.5	180.0	65.0	35.5	···	···	59.1	···	···	···
BS 16972-003	···	135.6	155.9	···	13.1	···	32.5	43.1	31.3	···	···
BS 16972-013	···	···	···	78.5	57.8	51.9	72.2	83.2	57.1	···	···
BS 16981-009	···	···	187.1	···	34.3	···	···	···	···	···	···
BS 16981-018	···	···	···	···	···	···	···	···	···	90.8	···
BS 16986-072	···	···	···	171.6	141.2	···	161.2	···	157.6	103.0	99.3
BS 17139-007	···	···	186.6	35.5	···	···	19.6	31.6	···	···	···
BS 17139-018	···	···	···	···	96.8	···	149.3	···	148.9	61.0	···
BS 17439-003	···	···	···	161.8	···	···	116.2	127.5	151.7	···	···
BS 17439-038	···	···	···	···	···	···	···	···	198.0	···	111.0
BS 17439-062	···	···	···	···	148.7	···	195.1	···	···	145.3	119.0
BS 17444-032	···	···	173.9	49.7	···	27.6	···	37.2	59.1	···	···
BS 17444-055	···	···	···	···	141.3	···	178.6	···	151.1	74.4	95.6
BS 17446-025	···	···	162.2	···	···	···	···	···	···	···	···
BS 17570-090*	···	86.1	106.9	14.7	···	···	···	···	···	···	···
BS 17572-048	···	···	···	172.3	122.8	···	151.8	170.3	137.6	51.9	86.9
BS 17572-067	144.9	···	···	132.8	82.3	···	90.8	111.7	88.6	31.4	···
BS 17576-002	112.6	···	···	98.7	79.7	85.3	78.7	100.9	82.4	···	···
BS 17576-071	66.0	···	···	69.1	67.0	53.1	65.4	73.5	54.0	···	···
BS 17577-054	···	···	···	···	155.7	···	189.6	···	146.5	···	106.2
BS 17581-042	···	···	···	187.6	116.0	···	138.2	···	127.1	62.5	77.4
BS 17581-052	···	···	···	···	195.9	···	···	···	···	90.7	···
BS 17581-093	···	···	···	···	121.5	···	161.1	···	150.9	79.2	103.2
BS 17581-101	···	···	···	···	···	···	···	···	181.2	103.0	139.8
BS 17581-113	···	···	···	···	···	···	···	···	···	···	···
BS 17585-080	···	···	···	···	···	···	165.8	···	169.8	77.0	97.4
BS 17587-003	···	···	···	180.1	121.4	···	136.0	175.7	127.2	···	···
BS 17587-016	···	···	···	195.9	124.5	···	139.4	181.7	126.3	···	83.0
BS 17587-021	···	···	···	···	···	···	···	···	···	194.8	···
BS 17587-099	···	···	···	···	···	···	···	···	···	···	···
BS 17587-118	···	···	···	···	172.8	···	188.5	···	159.2	89.0	119.8
CS 22174-012	96.3	···	···	98.4	68.3	64.8	72.0	88.6	65.0	35.2	···
CS 22180-005	···	···	···	···	···	···	42.9	53.3	48.8	···	···
CS 22183-031	48.4	···	199.7	51.2	···	···	31.5	35.0	30.2	···	···
CS 22185-007	···	···	···	60.4	51.4	···	49.2	60.4	51.2	···	···

Table 3—Continued

Star ID	MgI 4167.27	MgI 5172.69	MgI 5183.61	MgI 5528.41	CaI 4425.44	CaI 5586.76	CaI 6122.22	CaI 6162.18	CaI 6439.08	CaI 6471.66	CaI 6717.68
CS 22189-003	···	···	···	···	126.9	···	···	···	···	127.4	157.5
CS 22190-007	···	···	182.8	44.4	···	30.4	52.0	47.6	34.8	···	···
CS 22880-086	···	···	167.0	35.4	···	29.3	28.2	28.9	22.4	···	···
CS 22883-020	···	156.1	166.1	55.1	38.8	···	37.2	···	57.1	···	···
CS 22890-077	···	···	···	···	···	···	···	···	···	190.0	···
CS 22893-010*	···	157.0	···	41.8	···	32.2	45.6	41.6	41.9	···	···
CS 22944-032	···	···	185.8	···	···	···	29.2	38.6	26.9	···	···
CS 22949-029	···	···	···	···	···	···	50.1	57.3	45.4	···	···
CS 22950-153	94.1	···	···	87.1	62.6	69.3	78.3	78.3	63.6	···	20.3
CS 22957-022	···	···	168.3	44.7	28.2	29.0	34.8	53.7	33.5	···	···
CS 22962-006*	···	···	···	···	···	···	···	···	···	···	···
CS 22963-004*	···	84.4	112.0	23.1	···	10.8	···	21.3	···	···	···
CS 22965-016*	···	···	···	···	···	···	64.0	74.7	···	···	···
CS 22965-029	···	···	190.6	62.6	48.4	45.0	55.5	65.5	51.9	···	···
CS 29497-040*	···	···	163.9	42.2	···	···	···	···	···	···	···
CS 29502-092	···	···	158.5	47.2	38.6	23.3	32.0	41.2	21.1	···	···
CS 29510-008	102.9	···	···	100.7	77.3	72.9	74.4	···	74.8	···	···
CS 29510-058	···	···	···	68.9	···	51.3	45.7	76.6	43.9	···	···
CS 29517-025	···	···	···	···	···	···	72.6	64.0	78.3	···	···
CS 30301-043	···	···	···	···	···	···	···	···	···	···	···
CS 30306-082	31.0	150.2	182.3	34.1	···	···	···	29.9	30.0	···	···
CS 30306-110*	40.8	···	184.6	···	···	···	···	47.0	···	···	···
CS 30306-126	64.4	···	···	68.1	44.5	38.0	···	59.1	61.8	···	···
CS 30311-012	···	···	···	···	···	···	···	···	···	···	···
CS 30311-050	···	···	···	106.0	73.1	···	99.5	99.8	77.1	···	···
CS 30315-093	···	···	154.4	···	···	···	32.3	···	31.7	···	···
CS 30320-006	80.3	···	···	97.1	63.2	55.1	···	89.9	63.4	···	···
CS 30320-069	28.3	···	···	41.2	18.5	···	31.8	47.2	···	···	···
CS 30325-028	···	···	···	···	54.6	···	···	···	50.4	···	···
CS 30329-078	110.4	···	···	···	···	···	···	93.0	75.8	···	···
CS 30329-129	···	···	188.2	···	···	···	···	53.4	62.2	···	···
CS 30331-018	101.1	···	···	95.6	···	73.9	86.9	99.2	77.9	···	···
CS 30332-067	···	···	···	107.5	···	···	71.6	106.3	57.8	···	···
CS 30332-114	···	···	···	79.4	53.2	···	···	84.7	48.2	···	···
CS 30338-119	48.1	···	···	81.9	52.0	56.3	81.2	97.2	67.9	···	···
CS 31060-030	···	···	···	119.3	77.6	···	94.5	127.7	78.8	···	···
CS 31060-043	56.0	···	163.0	30.3	44.3	···	58.2	66.8	51.4	···	···
CS 31061-062	···	163.6	198.4	52.1	···	···	42.3	59.0	···	···	···
CS 31062-050	···	···	···	81.2	···	···	···	···	45.3	···	···
CS 31069-064	···	···	···	66.3	42.0	···	44.2	74.8	47.2	···	···
CS 31070-058	···	···	···	90.6	54.1	75.5	92.0	92.9	80.5	···	28.4
CS 31078-018	···	···	···	40.8	···	36.8	33.4	52.1	29.8	···	···
CS 31083-059	···	···	···	200.0	134.3	···	136.8	181.2	130.3	59.7	80.8
CS 31085-024	···	···	···	31.4	···	···	···	28.1	···	···	···
CS 31088-083	78.0	···	···	93.1	57.6	···	64.3	83.1	61.0	···	···

Table 3—Continued

Star ID	MgI 4167.27	MgI 5172.69	MgI 5183.61	MgI 5528.41	CaI 4425.44	CaI 5586.76	CaI 6122.22	CaI 6162.18	CaI 6439.08	CaI 6471.66	CaI 6717.68

Table 4. EW measurements of Ti II,Cr, and Ba II in mÅ

Star ID	TiII 4028.34	TiII 4395.04	TiII 4399.77	TiII 4443.81	TiII 4468.50	TiII 4563.76	TiII 4571.98	TiII 4589.95	TiII 5336.79	CrI 5345.80	BaII 4554.04	BaII 6141.75
BD-03 2525	···	92.1	···	···	···	75.8	···	27.5	···	···	82.3	35.4
BD+02 3375	···	83.6	42.0	···	68.2	60.0	62.3	···	···	···	49.9	···
BD+23 3130	···	128.2	···	···	···	75.7	···	39.7	···	···	89.8	30.8
BD+37 1458	28.0	···	···	···	···	76.1	···	45.3	23.2	22.8	107.3	75.1
HD 6755	70.0	···	···	···	···	121.6	···	73.8	66.9	73.0	160.5	104.3
HD 44007	76.7	···	···	···	···	135.9	···	88.9	74.8	88.2	172.4	126.0
HD 63791	···	···	···	···	···	159.8	···	82.6	94.4	90.5	180.5	125.9
HD 74462	···	···	···	···	···	···	···	98.8	92.4	110.5	147.5	···
HD 84937	···	81.6	···	76.3	78.2	62.7	70.2	···	···	···	53.3	···
HD 94028	52.4	···	···	···	···	79.2	···	49.6	···	26.2	103.0	62.0
HD 115444	53.3	···	···	107.5	···	106.4	···	61.8	39.7	28.8	140.0	84.0
HD 122563	···	···	···	···	···	131.1	···	87.1	54.5	···	107.3	54.6
HD 163810	46.9	···	···	···	···	95.9	···	53.2	46.4	72.3	135.0	84.3
HD 204543	100.9	···	···	···	···	187.7	···	115.7	111.0	90.5	···	164.7
M15-K341	82.6	···	···	···	···	178.7	···	116.1	96.5	85.6	···	156.7
M15-S4	···	···	···	···	···	···	···	···	100.7	83.7	···	156.0
M92 VII-18	···	···	···	···	···	···	···	110.4	100.1	90.7	···	150.0
BS 16085-050	···	···	···	100.7	···	99.6	···	40.6	···	···	30.6	···
CS 22166-016	···	107.2	···	76.6	···	74.8	···	42.5	13.0	···	87.2	32.7
CS 22183-015	···	···	···	58.1	···	···	···	···	···	···	188.5	114.7
CS 22878-101	···	···	···	···	···	96.2	90.2	57.6	···	···	84.7	···
CS 22892-052	···	···	···	···	···	92.0	···	···	···	···	185.2	131.2
CS 22898-027	···	···	···	···	···	···	91.8	···	···	···	···	153.1
CS 22949-048	···	···	···	···	···	88.0	81.1	51.0	24.5	···	37.6	···
CS 31082-001	40.6	···	···	···	···	107.6	···	61.2	37.5	···	126.6	···
BS 16076-006	···	52.7	···	···	···	···	···	···	···	···	···	6.5
BS 16077-007	···	···	···	38.0	70.5	41.4	44.9	···	···	···	13.8	···
BS 16080-054	···	134.1	···	141.0	···	116.4	···	79.9	···	···	126.6	66.0
BS 16080-093	···	···	···	102.2	···	99.5	90.2	55.3	···	···	107.8	52.6
BS 16084-160	···	97.2	···	109.2	···	82.1	···	54.2	···	···	18.3	10.1
BS 16467-062	···	45.5	···	···	43.7	···	31.3	···	···	···	···	14.2
BS 16470-073	···	···	···	···	···	147.6	···	···	···	32.1	153.5	118.3
BS 16470-092	···	104.4	···	100.8	···	76.9	82.6	35.7	22.9	···	69.2	···
BS 16472-018	65.3	···	···	···	···	107.1	···	68.8	45.6	···	133.7	76.4
BS 16472-081	···	···	···	···	···	155.1	···	···	···	91.3	196.8	138.8
BS 16477-003	···	98.5	···	90.6	100.2	64.9	71.0	···	···	···	83.9	···
BS 16543-092	···	···	···	···	···	144.9	···	93.8	88.3	53.0	149.4	90.4
BS 16546-076	88.1	···	···	···	···	142.9	···	83.4	78.3	98.0	194.2	···
BS 16547-005	95.5	···	···	···	···	117.1	···	80.1	80.3	66.2	165.2	119.5
BS 16547-006	···	55.5	···	···	···	···	41.7	···	12.7	···	27.9	16.0
BS 16547-025	···	···	···	···	···	160.6	···	103.0	91.5	66.1	189.6	146.8
BS 16547-032	···	···	···	···	···	···	···	73.7	74.5	122.2	179.8	143.0
BS 16547-072	···	···	···	···	···	146.1	···	63.8	51.6	131.8	182.2	129.9
BS 16547-082	···	···	···	···	···	163.7	···	···	···	116.8	152.5	110.3
BS 16547-099	50.6	···	···	···	···	114.9	···	71.2	44.0	43.1	152.1	···

Table 4—Continued

Star ID	Ti II 4028.34	Ti II 4395.04	Ti II 4399.77	Ti II 4443.81	Ti II 4468.50	Ti II 4563.76	Ti II 4571.98	Ti II 4589.95	Ti II 5336.79	Cr I 5345.80	Ba II 4554.04	Ba II 6141.75
BS 16550-087	···	102.0	···	106.5	108.9	82.9	···	40.7	···	···	53.7	22.1
BS 16551-058	85.5	···	···	···	···	144.8	···	90.1	144.8	54.3	184.5	129.2
BS 16559-060	···	···	···	···	···	···	···	76.0	61.8	100.5	155.8	125.4
BS 16559-083	···	···	···	···	···	160.6	···	···	···	···	163.6	130.8
BS 16559-108	···	···	···	···	···	149.3	···	···	···	109.0	160.8	···
BS 16920-017	···	···	···	···	···	98.7	79.2	52.5	30.8	···	28.8	···
BS 16928-053	···	···	···	···	···	101.7	···	47.7	37.6	···	98.0	37.5
BS 16929-005	···	90.0	···	59.9	···	63.2	56.6	···	···	···	51.9	···
BS 16934-009	···	···	···	···	···	···	···	129.6	141.6	157.4	···	196.0
BS 16934-072	49.7	107.2	···	···	···	71.0	73.6	···	···	···	93.7	···
BS 16945-054	···	79.0	···	70.8	···	···	···	32.9	···	···	74.7	···
BS 16972-003	···	58.5	···	48.5	···	45.1	62.6	···	···	···	32.3	···
BS 16972-013	···	103.4	···	···	···	86.7	93.3	45.5	···	16.4	110.2	52.3
BS 16981-009	···	80.2	···	···	···	77.2	54.9	···	···	···	88.2	···
BS 16981-018	···	···	···	···	···	···	···	···	43.4	153.3	177.9	···
BS 16986-072	···	···	···	···	···	···	···	114.1	130.0	133.0	···	170.2
BS 17139-007	···	66.0	20.2	49.3	44.1	29.0	35.6	···	···	···	30.9	···
BS 17139-018	···	···	···	···	···	152.9	···	85.9	···	78.7	148.1	122.4
BS 17439-003	···	···	···	···	···	144.9	···	···	···	···	154.2	···
BS 17439-038	···	···	···	···	···	183.0	···	···	···	164.8	175.0	···
BS 17439-062	66.3	···	···	···	···	···	···	69.9	62.6	98.7	189.1	140.5
BS 17444-032	···	65.3	···	···	···	47.8	64.2	···	···	···	35.4	···
BS 17444-055	···	···	···	···	···	···	···	75.4	64.4	104.6	151.5	119.1
BS 17446-025	···	63.2	···	···	···	72.6	59.2	···	···	···	20.2	···
BS 17570-090	···	55.5	···	38.8	37.9	25.1	33.3	···	···	···	2.0	···
BS 17572-048	102.0	···	···	···	···	133.6	158.7	98.7	70.9	···	154.1	120.1
BS 17572-067	68.4	···	···	···	···	102.1	···	69.2	···	···	104.2	68.7
BS 17576-002	···	···	···	···	···	90.7	97.9	53.8	40.4	20.8	100.4	59.7
BS 17576-071	53.5	96.4	···	···	···	78.1	86.4	41.5	···	···	78.5	···
BS 17577-054	83.9	···	···	···	···	···	···	81.8	72.3	106.0	178.9	124.5
BS 17581-042	62.1	···	···	···	···	128.6	···	73.5	73.4	···	148.9	110.3
BS 17581-052	···	···	···	···	···	···	···	72.6	···	···	184.9	···
BS 17581-093	···	···	···	···	···	142.6	···	···	···	109.0	181.3	146.7
BS 17581-101	···	···	···	···	···	···	···	60.6	70.4	128.6	184.6	···
BS 17581-113	···	···	···	···	···	···	138.0	···	···	···	···	···
BS 17585-080	···	···	···	···	···	···	···	80.3	···	104.8	171.1	158.5
BS 17587-003	91.0	···	···	···	···	137.0	···	84.6	84.5	93.8	159.7	133.7
BS 17587-016	81.9	···	···	···	···	133.6	···	111.1	···	80.3	162.5	121.6
BS 17587-021	···	···	···	···	···	161.0	···	···	···	···	···	175.3
BS 17587-099	···	···	···	···	···	···	···	···	170.8	···	···	165.6
BS 17587-118	73.9	···	···	···	···	156.8	···	80.2	72.7	131.8	170.7	···
CS 22174-012	···	···	···	···	···	83.0	82.1	56.7	···	···	87.5	39.8
CS 22180-005	···	105.1	···	···	77.7	79.5	99.8	···	···	···	87.7	···
CS 22183-031	···	77.7	···	57.9	···	57.0	···	···	···	···	103.7	49.9
CS 22185-007	···	···	···	···	···	93.0	···	68.4	35.3	30.4	88.6	···

Table 4—Continued

Star ID	TiII 4028.34	TiII 4395.04	TiII 4399.77	TiII 4443.81	TiII 4468.50	TiII 4563.76	TiII 4571.98	TiII 4589.95	TiII 5336.79	CrI 5345.80	BaII 4554.04	BaII 6141.75
CS 22189-003	···	···	···	···	···	···	···	···	39.1	115.1	···	···
CS 22190-007	···	121.6	···	97.2	119.0	113.2	101.1	56.0	···	···	117.2	···
CS 22880-086	···	69.1	···	58.4	86.8	···	81.3	35.2	···	···	44.6	···
CS 22883-020	···	100.0	···	78.3	79.2	57.3	64.8	19.1	···	···	34.0	···
CS 22890-077	···	···	···	···	···	···	···	···	145.6	···	···	···
CS 22893-010	···	93.4	69.2	···	76.2	···	68.7	···	···	···	28.6	···
CS 22944-032	···	100.1	···	···	95.7	···	···	···	···	···	36.8	···
CS 22949-029	···	80.8	···	···	···	57.3	···	···	···	···	···	···
CS 22950-153	56.3	129.7	···	···	···	91.3	79.9	47.6	···	25.4	102.7	57.9
CS 22957-022	···	90.9	73.1	···	···	74.6	69.7	···	···	···	37.8	···
CS 22962-006	···	···	···	···	···	···	···	···	···	···	17.1	10.4
CS 22963-004	···	42.2	···	38.4	···	···	···	···	···	···	21.5	···
CS 22965-016	···	···	···	···	···	···	···	74.6	···	···	70.9	···
CS 22965-029	52.7	···	···	121.9	···	106.9	113.2	52.5	38.4	···	102.0	55.0
CS 29497-040	···	87.4	···	59.0	···	50.7	52.1	···	···	···	17.8	···
CS 29502-092	···	···	···	77.7	···	75.2	···	33.0	17.0	12.3	38.4	···
CS 29510-008	···	···	···	···	···	89.5	···	49.5	33.3	31.0	106.1	58.8
CS 29510-058	···	···	···	···	···	90.4	···	55.3	35.2	···	108.5	59.3
CS 29517-025	56.3	···	···	···	118.1	···	···	···	···	14.6	118.5	80.1
CS 30301-043	···	···	···	···	···	···	···	···	···	···	···	162.5
CS 30306-082	···	64.2	···	81.3	···	···	55.7	···	20.9	···	45.1	···
CS 30306-110	···	93.7	···	···	···	50.3	64.4	···	···	···	50.9	···
CS 30306-126	···	89.7	47.4	70.5	···	62.4	63.1	20.8	···	···	73.7	22.5
CS 30311-012	198.1	···	···	···	···	···	···	···	···	···	···	···
CS 30311-050	60.4	···	···	···	···	90.2	···	50.8	46.7	···	116.9	65.6
CS 30315-093	···	81.3	···	···	···	75.1	···	···	···	···	38.4	···
CS 30320-006	···	104.0	···	···	···	71.1	68.7	26.3	···	31.5	69.8	···
CS 30320-069	···	85.7	···	70.2	···	52.9	48.0	···	···	···	40.0	···
CS 30325-028	56.7	···	···	128.6	···	87.8	···	50.5	···	···	100.2	···
CS 30329-078	···	···	···	···	···	105.3	96.4	47.7	37.7	37.2	116.9	···
CS 30329-129	···	···	···	···	···	72.7	79.0	40.4	···	···	52.6	···
CS 30331-018	···	···	···	···	···	108.6	···	67.8	38.1	36.5	119.1	80.7
CS 30332-067	···	···	···	···	···	···	···	···	···	17.5	82.0	39.8
CS 30332-114	···	92.0	···	···	···	76.0	85.7	···	···	···	85.7	39.3
CS 30338-119	···	86.6	···	···	69.7	60.8	···	14.9	···	27.7	76.0	···
CS 31060-030	···	100.8	···	···	···	70.2	···	30.8	16.0	···	61.6	40.2
CS 31060-043	···	78.5	···	···	···	62.4	76.7	23.0	···	···	152.7	91.8
CS 31061-062	···	96.2	···	75.2	···	68.3	75.4	···	19.0	···	62.4	···
CS 31062-050	···	···	···	···	···	···	···	···	37.6	13.5	···	200.0
CS 31069-064	···	75.5	···	···	···	47.8	···	···	···	···	47.1	···
CS 31070-058	60.9	···	···	···	···	107.5	···	79.2	49.5	45.9	141.9	92.5
CS 31078-018	30.4	77.9	···	65.9	···	64.3	···	···	···	···	104.2	54.3
CS 31083-059	···	···	···	···	···	102.1	···	65.1	52.7	87.8	131.6	87.9
CS 31085-024	···	65.5	···	···	···	31.2	39.9	···	···	···	18.7	···
CS 31088-083	···	···	···	···	···	86.1	···	61.1	43.5	···	113.9	59.6

Table 4—Continued

Star ID	TiII 4028.34	TiII 4395.04	TiII 4399.77	TiII 4443.81	TiII 4468.50	TiII 4563.76	TiII 4571.98	TiII 4589.95	TiII 5336.79	CrI 5345.80	BaII 4554.04	BaII 6141.75

Table 5. EW measurements of Fe in mÅ

Star ID	Fe I 4045.82	Fe I 4071.74	Fe I 4383.55	Fe I 4404.76	Fe I 4442.35	Fe I 4919.00	Fe I 5068.77	Fe I 5074.75	Fe I 5133.69	Fe I 5216.28	Fe I 5232.95	Fe I 5302.30	Fe I 5324.19	Fe I 5383.38
BD-03 2525	···	···	···	195.2	···	···	39.7	···	···	···	99.1	···	55.3	···
BD+02 3375	150.6	134.2	129.0	112.6	···	36.5	···	···	22.9	···	55.0	···	38.1	33.4
BD+23 3130	···	135.6	154.4	146.6	···	57.6	23.1	···	···	···	67.9	26.3	51.4	···
BD+37 1458	···	187.4	···	196.3	···	84.2	37.6	26.3	42.2	···	91.9	35.8	67.3	39.7
HD 6755	···	···	···	···	···	···	89.7	68.5	69.9	···	133.0	88.1	113.0	78.8
HD 44007	···	···	···	···	···	···	83.7	53.7	69.8	···	133.2	86.1	104.2	77.8
HD 63791	···	···	···	···	···	···	94.0	74.4	81.4	···	144.7	94.2	122.2	98.8
HD 74462	···	···	···	···	···	···	122.0	···	104.4	···	144.2	···	134.7	···
HD 84937	146.6	116.0	129.5	101.4	···	···	···	···	···	···	···	···	38.0	···
HD 94028	···	183.9	···	···	···	91.4	54.0	42.8	63.0	···	88.6	60.5	92.4	59.7
HD 115444	···	142.9	175.1	147.1	···	63.0	25.5	11.0	17.6	50.4	73.5	22.9	47.3	31.9
HD 122563	···	185.7	···	···	···	85.8	41.8	18.1	···	88.6	108.6	44.0	82.4	···
HD 163810	···	···	···	···	···	173.8	83.9	66.3	92.6	···	174.4	102.1	149.4	99.4
HD 204543	···	···	···	···	···	···	103.1	62.1	87.3	···	124.6	94.1	114.6	88.8
M15-K341	···	···	···	···	···	132.7	76.1	···	54.7	···	126.8	···	116.2	70.8
M15-S4	···	···	···	···	···	143.5	94.7	···	67.5	···	107.3	···	106.4	87.3
M92 VII-18	···	···	···	···	···	···	105.0	···	···	···	132.8	86.3	122.0	78.8
BS 16085-050	183.3	128.7	159.7	132.4	···	59.3	···	···	···	···	61.5	···	44.8	30.7
CS 22166-016	168.6	135.6	142.6	123.6	···	···	···	···	···	36.0	63.4	···	···	···
CS 22183-015	149.3	107.9	···	···	···	46.7	···	···	···	···	44.0	···	20.0	···
CS 22878-101	169.6	138.3	148.7	140.7	···	46.4	···	···	14.7	···	53.5	···	41.7	···
CS 22892-052	···	138.6	···	114.5	···	···	···	···	···	40.6	64.8	···	···	···
CS 22898-027	168.4	···	···	···	···	···	···	···	24.7	···	52.2	···	24.7	···
CS 22949-048	184.6	144.1	154.6	148.0	···	···	···	···	···	54.1	50.9	···	35.3	···
CS 31082-001	···	159.9	···	···	···	···	···	···	···	···	68.0	36.8	43.1	···
BS 16076-006	97.8	98.0	91.0	86.2	···	···	···	···	···	···	···	···	···	···
BS 16077-007	102.2	83.8	100.1	79.1	···	···	···	···	···	···	23.6	···	···	···
BS 16080-054	···	166.6	165.7	146.1	···	66.6	27.7	···	18.9	45.6	75.1	···	62.3	···
BS 16080-093	166.3	158.7	142.4	142.2	···	···	···	···	···	36.1	57.6	···	···	···
BS 16084-160	154.2	164.1	152.6	158.5	53.0	57.7	···	···	···	58.6	48.5	···	···	···
BS 16467-062	103.4	90.2	89.8	75.4	···	···	···	···	···	···	15.8	···	···	···
BS 16470-073	···	···	···	···	···	···	···	88.8	145.2	···	···	126.8	···	144.1
BS 16470-092	···	125.0	149.5	140.2	···	71.7	34.2	21.8	···	···	73.2	···	61.2	···
BS 16472-018	···	164.3	···	164.4	···	76.1	47.9	···	···	62.7	83.3	···	70.5	37.9
BS 16472-081	···	···	···	···	···	146.7	130.1	87.2	93.2	···	134.9	108.3	158.2	94.1
BS 16477-003	136.5	123.7	135.5	104.5	···	···	···	···	···	···	54.1	···	···	···
BS 16543-092	···	···	···	197.3	···	113.9	73.2	37.0	53.4	···	128.3	59.4	102.9	69.7
BS 16546-076	···	···	···	···	···	···	···	···	106.2	···	143.8	87.5	116.9	91.6
BS 16547-005	···	···	···	···	···	132.5	83.2	58.6	71.4	···	122.3	91.2	117.6	69.9
BS 16547-006	···	98.7	104.5	107.4	···	33.5	···	···	···	···	···	···	21.4	···
BS 16547-025	···	197.5	···	···	···	109.4	84.6	49.4	55.1	···	109.0	78.6	113.8	77.1
BS 16547-032	···	···	···	···	···	···	145.7	126.9	159.3	···	···	146.1	···	176.1
BS 16547-072	···	···	···	···	···	···	148.0	113.2	167.0	···	···	168.1	···	184.0
BS 16547-082	···	···	···	···	···	···	132.9	128.9	160.1	···	···	125.9	···	154.2
BS 16547-099	···	180.1	···	198.7	···	114.5	···	···	···	···	105.2	49.8	78.0	63.5

Table 5—Continued

Star ID	FeI 4045.82	FeI 4071.74	FeI 4383.55	FeI 4404.76	FeI 4442.35	FeI 4919.00	FeI 5068.77	FeI 5074.75	FeI 5133.69	FeI 5216.28	FeI 5232.95	FeI 5302.30	FeI 5324.19	FeI 5383.38
BS 16550-087	182.2	122.3	157.2	124.5	···	···	···	···	···	···	59.3	···	···	···
BS 16551-058	···	173.0	···	···	···	98.7	70.0	36.3	59.6	···	111.2	57.5	100.3	60.8
BS 16559-060	···	···	···	···	···	···	113.7	96.9	116.8	···	···	122.8	187.8	137.9
BS 16559-083	···	···	···	···	···	···	···	82.1	112.4	···	196.8	124.7	170.6	142.9
BS 16559-108	···	···	···	···	···	···	130.9	109.3	147.5	···	···	139.1	···	154.5
BS 16920-017	168.3	146.2	156.3	128.4	···	···	···	···	···	41.6	48.9	···	31.7	···
BS 16928-053	···	162.1	181.7	156.8	···	57.5	21.2	···	17.8	71.1	60.2	···	50.2	16.0
BS 16929-005	120.3	···	···	109.2	···	29.6	···	···	···	···	29.0	···	23.0	···
BS 16934-009	···	···	···	···	···	···	···	···	···	···	···	···	175.2	130.5
BS 16934-072	160.3	125.9	142.1	107.5	···	53.0	38.4	···	···	···	···	···	···	···
BS 16945-054	142.3	118.0	130.9	97.1	···	···	···	···	16.9	···	···	···	28.9	···
BS 16972-003	116.9	72.8	104.8	81.1	22.4	36.8	···	···	···	···	30.7	···	···	···
BS 16972-013	···	139.1	168.7	122.1	···	···	···	···	···	···	···	32.0	60.7	45.2
BS 16981-009	···	131.9	124.0	127.8	41.2	···	···	···	···	···	44.5	···	26.6	···
BS 16981-018	···	···	···	···	···	···	···	···	193.5	···	···	195.5	···	···
BS 16986-072	···	···	···	···	···	198.4	145.0	···	105.8	···	169.4	143.0	149.0	118.5
BS 17139-007	135.4	92.1	132.9	106.2	···	···	···	···	12.8	···	31.4	···	25.5	···
BS 17139-018	···	···	···	···	···	···	80.3	76.1	97.9	···	129.5	86.0	113.5	96.4
BS 17439-003	···	···	···	···	···	···	81.5	···	···	···	152.0	···	100.3	···
BS 17439-038	···	···	···	···	···	···	180.9	128.9	172.7	···	···	131.9	···	193.3
BS 17439-062	···	···	···	···	···	···	127.1	105.3	140.4	···	···	136.0	···	166.9
BS 17444-032	120.6	99.4	129.9	103.7	···	···	···	···	···	···	46.5	···	25.1	···
BS 17444-055	···	···	···	···	···	···	116.7	88.9	114.4	···	198.6	111.9	172.8	127.1
BS 17446-025	···	107.5	106.0	96.2	···	···	···	···	···	···	···	···	···	···
BS 17570-090	123.7	93.8	110.7	95.0	···	···	10.0	···	···	···	22.8	···	···	···
BS 17572-048	···	···	···	···	···	···	94.0	95.2	102.3	···	173.4	118.9	150.8	96.1
BS 17572-067	···	···	···	···	···	104.8	56.1	···	61.2	···	102.1	58.8	84.7	71.6
BS 17576-002	···	166.6	192.5	165.6	···	78.4	45.6	34.8	37.1	···	79.9	34.8	60.6	55.6
BS 17576-071	189.2	125.8	160.5	122.6	···	69.0	···	24.6	28.5	···	56.9	···	48.9	···
BS 17577-054	···	···	···	···	···	···	132.4	95.3	139.8	···	···	131.9	···	150.4
BS 17581-042	···	···	···	···	···	···	105.0	84.2	116.5	···	175.9	107.5	157.3	119.5
BS 17581-052	···	···	···	···	···	···	141.2	···	123.7	···	···	138.0	···	168.0
BS 17581-093	···	···	···	···	···	···	125.7	128.1	133.2	···	···	121.4	184.8	136.4
BS 17581-101	···	···	···	···	···	···	···	···	172.0	···	···	166.1	···	183.7
BS 17581-113	···	···	···	···	···	···	···	···	···	···	···	···	···	···
BS 17585-080	···	···	···	···	···	···	···	···	139.9	···	197.7	126.6	196.9	153.4
BS 17587-003	···	···	···	···	···	···	99.0	87.4	97.3	···	172.2	100.6	164.1	114.0
BS 17587-016	···	···	···	···	···	···	99.0	96.3	102.2	···	193.8	92.1	166.7	129.0
BS 17587-021	···	···	···	···	···	···	···	···	···	···	···	···	···	···
BS 17587-099	···	···	···	···	···	···	···	···	···	···	···	···	···	···
BS 17587-118	···	···	···	···	···	···	151.1	131.9	159.1	···	···	134.2	···	167.9
CS 22174-012	···	188.2	···	157.3	···	···	···	34.3	41.0	···	83.6	···	71.4	···
CS 22180-005	···	68.3	165.0	142.2	···	70.7	···	···	20.5	···	50.4	···	···	···
CS 22183-031	139.8	110.4	···	126.3	···	···	···	···	···	···	41.7	···	16.8	···
CS 22185-007	···	140.6	···	147.6	···	69.1	···	···	···	···	82.3	28.1	52.7	29.1

Table 5—Continued

Star ID	FeI 4045.82	FeI 4071.74	FeI 4383.55	FeI 4404.76	FeI 4442.35	FeI 4919.00	FeI 5068.77	FeI 5074.75	FeI 5133.69	FeI 5216.28	FeI 5232.95	FeI 5302.30	FeI 5324.19	FeI 5383.38
CS 22189-003	···	···	···	···	···	···	···	···	···	···	···	161.6	···	171.4
CS 22190-007	176.1	118.6	144.7	117.3	···	62.3	···	···	···	···	51.8	···	49.2	···
CS 22880-086	170.8	139.0	182.5	114.1	42.3	46.6	···	···	···	41.6	54.6	···	31.4	30.0
CS 22883-020	164.3	116.4	137.6	108.4	···	51.3	···	···	···	···	58.0	···	41.4	···
CS 22890-077	···	···	···	···	···	···	···	···	···	···	···	···	···	···
CS 22893-010	···	···	···	100.9	···	72.9	···	···	···	···	57.8	···	···	···
CS 22944-032	···	···	120.1	86.1	···	44.6	···	···	22.0	36.4	40.8	···	27.4	···
CS 22949-029	···	···	168.2	136.0	···	···	···	···	···	···	···	···	37.4	···
CS 22950-153	···	186.5	···	180.1	···	89.3	39.1	33.1	38.5	···	76.8	41.3	71.3	40.5
CS 22957-022	143.7	128.8	140.7	112.2	···	36.9	···	···	···	35.0	42.6	···	39.5	20.3
CS 22962-006	···	···	···	···	···	···	···	···	···	···	···	···	···	···
CS 22963-004	···	···	92.3	87.3	···	···	···	···	···	···	14.6	···	···	···
CS 22965-016	···	···	···	154.7	···	···	···	···	···	58.4	···	···	···	···
CS 22965-029	178.7	153.7	146.2	140.8	···	56.2	···	···	···	···	69.0	21.9	37.5	27.3
CS 29497-040	125.6	115.9	120.4	104.2	···	···	···	···	···	···	31.7	···	···	···
CS 29502-092	137.2	107.3	···	126.3	···	42.2	···	···	···	39.3	52.0	···	37.9	32.1
CS 29510-008	···	199.0	···	199.3	···	110.3	41.8	···	38.8	···	86.2	51.4	67.1	58.8
CS 29510-058	198.8	148.3	···	160.5	···	···	···	···	···	···	66.3	31.7	42.5	28.8
CS 29517-025	···	···	169.2	132.5	···	···	···	···	···	···	63.8	···	52.9	···
CS 30301-043	···	···	···	···	···	···	···	···	···	···	···	···	···	···
CS 30306-082	133.8	112.1	119.4	114.6	···	43.3	···	···	···	···	30.9	···	···	22.1
CS 30306-110	179.5	132.1	143.0	113.0	···	41.1	···	···	···	···	53.2	···	45.7	···
CS 30306-126	194.2	142.0	153.2	132.1	59.0	53.3	···	···	36.9	···	81.0	···	···	···
CS 30311-012	···	···	···	···	···	···	···	···	178.6	···	···	···	···	···
CS 30311-050	···	···	···	···	···	97.2	47.2	···	49.1	···	88.9	53.8	85.7	60.0
CS 30315-093	163.2	83.4	130.7	115.6	···	36.4	···	···	···	···	53.1	···	29.4	···
CS 30320-006	···	156.7	···	177.2	···	72.0	···	···	39.0	···	73.6	···	73.6	46.8
CS 30320-069	154.0	117.6	138.1	114.5	35.1	49.9	···	20.3	···	···	49.6	···	29.8	···
CS 30325-028	···	139.4	···	159.4	···	···	···	···	···	···	68.4	···	62.0	···
CS 30329-078	···	···	···	187.5	···	95.2	···	···	···	···	97.4	···	90.6	63.9
CS 30329-129	147.4	···	157.4	122.3	···	63.2	···	···	···	42.3	58.0	···	46.2	···
CS 30331-018	···	198.5	···	···	177.5	···	52.4	···	···	···	94.1	···	73.3	45.2
CS 30332-067	···	···	···	···	···	···	···	···	···	···	74.7	···	64.0	···
CS 30332-114	···	164.3	177.5	156.8	···	···	25.5	···	···	···	68.9	···	60.9	45.0
CS 30338-119	···	···	···	···	···	85.4	···	···	27.9	···	109.2	22.1	···	42.5
CS 31060-030	···	195.1	···	···	···	105.4	41.6	20.2	···	···	95.4	32.1	80.6	52.5
CS 31060-043	···	157.9	193.6	172.1	···	70.5	···	···	31.6	···	69.0	···	54.7	37.7
CS 31061-062	142.9	135.2	131.3	108.4	···	···	···	···	···	···	46.0	···	···	···
CS 31062-050	···	128.0	···	···	···	···	···	···	···	···	57.8	···	33.7	···
CS 31069-064	···	163.8	···	161.4	···	···	···	···	···	···	68.0	···	53.3	···
CS 31070-058	···	163.3	···	187.7	···	94.6	52.0	39.7	45.3	···	98.5	47.2	76.7	47.8
CS 31078-018	151.6	98.8	147.7	107.0	···	55.9	···	···	14.1	···	44.3	···	32.0	···
CS 31083-059	···	···	···	···	···	···	100.7	89.1	93.6	···	176.4	98.0	153.8	134.1
CS 31085-024	145.0	141.4	137.9	108.4	···	···	···	···	···	···	40.9	···	26.3	···
CS 31088-083	···	171.5	···	162.7	···	···	···	···	···	···	87.5	···	65.8	45.7

Table 5—Continued

Star ID	FeI 4045.82	FeI 4071.74	FeI 4383.55	FeI 4404.76	FeI 4442.35	FeI 4919.00	FeI 5068.77	FeI 5074.75	FeI 5133.69	FeI 5216.28	FeI 5232.95	FeI 5302.30	FeI 5324.19	FeI 5383.38

Table 6. EW measurements of Fe in mÅ

Star ID	FeI 5393.17	FeI 5405.78	FeI 5434.53	FeI 5586.77	FeI 6065.49	FeI 6230.73	FeI 6252.56	FeI 6393.61	FeI 6411.65	FeI 6430.85	FeI 6609.11	FeI 6677.99	FeI 6750.15
BD-03 2525	···	···	63.9	···	···	···	28.2	···	···	···	···	···	···
BD+02 3375	16.3	···	52.0	···	···	···	···	···	···	···	···	···	···
BD+23 3130	22.9	90.1	87.9	45.8	23.8	48.2	···	···	···	13.3	···	33.3	···
BD+37 1458	34.7	98.6	84.0	70.8	41.7	48.5	45.8	53.6	···	40.9	···	48.7	···
HD 6755	79.1	···	126.0	···	84.7	102.6	84.8	90.9	67.8	82.9	···	82.6	48.0
HD 44007	79.7	···	140.6	···	90.7	102.7	···	89.4	69.7	88.2	···	95.9	43.6
HD 63791	104.3	179.3	158.4	···	93.7	134.2	···	100.3	83.2	112.6	···	125.6	···
HD 74462	106.1	···	···	···	109.9	144.9	115.4	138.4	100.6	121.5	73.7	137.3	71.8
HD 84937	···	···	···	···	···	···	···	···	···	···	···	···	···
HD 94028	43.8	101.0	92.1	87.2	···	55.7	···	48.3	···	···	···	···	···
HD 115444	19.5	123.0	100.9	···	24.0	···	24.9	39.6	···	25.8	···	30.9	···
HD 122563	50.7	164.9	133.6	60.1	···	72.0	53.6	73.3	···	59.6	···	61.9	···
HD 163810	93.8	152.2	133.5	175.5	78.2	96.8	···	86.5	68.1	69.9	···	80.6	34.3
HD 204543	99.4	173.0	175.3	···	107.6	128.0	110.1	107.8	78.7	106.8	41.8	107.2	53.3
M15-K341	84.8	197.9	176.5	···	101.8	118.8	100.7	113.0	56.0	107.7	···	109.0	51.5
M15-S4	82.6	···	186.6	···	89.9	121.0	98.0	122.0	60.1	110.3	43.7	118.3	58.1
M92 VII-18	96.4	···	···	···	129.7	133.8	···	122.3	77.5	115.5	···	116.7	61.5
BS 16085-050	···	94.2	97.5	···	···	···	···	25.6	···	28.3	···	27.7	···
CS 22166-016	···	87.5	76.2	···	···	···	14.6	20.9	···	20.9	···	19.9	···
CS 22183-015	···	51.0	48.9	···	···	···	···	···	···	···	···	···	···
CS 22878-101	···	91.8	94.4	···	···	···	···	···	···	···	···	···	···
CS 22892-052	···	100.3	···	···	···	···	···	27.3	···	···	···	···	···
CS 22898-027	···	56.9	···	···	···	···	···	···	···	···	···	···	···
CS 22949-048	···	108.7	91.2	···	···	37.6	···	···	···	22.0	···	···	···
CS 31082-001	···	102.7	89.6	48.8	···	···	···	···	···	···	···	···	···
BS 16076-006	14.4	31.5	···	···	···	···	···	···	···	···	···	···	···
BS 16077-007	···	26.6	···	···	···	···	···	···	···	···	···	···	···
BS 16080-054	22.6	···	99.4	57.2	37.7	46.7	···	···	···	···	···	···	···
BS 16080-093	···	99.1	71.2	···	···	···	···	···	···	···	···	···	···
BS 16084-160	21.8	114.2	103.7	34.8	···	33.1	···	29.8	···	27.1	···	···	···
BS 16467-062	···	33.2	···	···	···	···	···	···	···	···	···	···	···
BS 16470-073	130.2	···	···	···	120.8	···	···	128.1	126.3	···	···	133.2	···
BS 16470-092	25.9	···	66.1	···	···	38.8	19.3	29.5	···	···	···	···	···
BS 16472-018	37.6	107.7	118.3	···	37.6	···	42.6	···	···	35.5	···	51.5	···
BS 16472-081	94.9	171.1	135.7	···	102.9	114.1	···	108.0	83.8	99.8	···	121.3	55.6
BS 16477-003	···	···	88.6	···	···	···	···	···	···	18.7	···	···	···
BS 16543-092	64.9	159.8	161.2	107.1	60.9	96.9	81.0	91.9	52.4	73.5	···	71.5	28.3
BS 16546-076	97.0	···	138.9	···	···	116.6	94.2	114.4	78.2	106.4	···	···	···
BS 16547-005	70.5	142.6	143.7	111.9	84.6	96.2	84.8	99.5	66.1	81.9	···	95.3	···
BS 16547-006	···	43.0	31.7	···	···	···	···	···	···	···	···	···	···
BS 16547-025	79.2	167.0	147.0	119.7	68.6	96.4	77.1	85.3	56.8	84.9	···	77.6	···
BS 16547-032	151.4	···	188.1	···	142.6	171.5	126.6	153.1	147.8	124.0	67.3	134.6	67.8
BS 16547-072	160.5	···	···	···	130.8	184.0	125.6	140.5	126.0	114.8	···	144.7	69.6
BS 16547-082	132.4	···	158.9	···	99.2	150.4	127.0	132.7	134.0	105.6	···	128.6	64.4
BS 16547-099	50.5	99.2	90.6	88.0	···	60.4	···	55.0	···	54.7	···	···	···

Table 6—Continued

Star ID	FeI 5393.17	FeI 5405.78	FeI 5434.53	FeI 5586.77	FeI 6065.49	FeI 6230.73	FeI 6252.56	FeI 6393.61	FeI 6411.65	FeI 6430.85	FeI 6609.11	FeI 6677.99	FeI 6750.15
BS 16550-087	···	87.9	81.8	···	···	18.4	···	···	···	···	···	···	···
BS 16551-058	61.7	151.7	147.3	94.3	69.3	96.2	61.4	81.7	···	79.2	···	74.5	···
BS 16559-060	115.9	161.5	147.5	···	102.4	118.9	···	132.9	111.0	101.2	···	110.0	43.3
BS 16559-083	111.2	···	143.8	···	109.7	151.0	···	103.1	101.8	97.0	···	120.1	57.8
BS 16559-108	129.1	···	160.8	···	110.6	191.8	121.7	134.6	137.2	97.7	···	130.0	64.4
BS 16920-017	···	95.3	86.7	32.7	···	···	···	25.7	···	···	···	···	···
BS 16928-053	20.8	121.5	125.6	44.3	23.9	···	···	29.6	···	···	···	···	···
BS 16929-005	···	56.1	46.3	···	···	···	···	···	···	···	···	···	···
BS 16934-009	139.7	···	···	···	···	···	···	···	133.3	···	···	···	···
BS 16934-072	···	62.5	56.9	···	···	24.9	···	···	15.0	···	···	···	···
BS 16945-054	···	59.2	47.4	30.8	···	···	···	30.4	···	···	···	19.5	···
BS 16972-003	···	30.5	27.1	···	···	···	···	···	···	···	···	···	···
BS 16972-013	35.9	85.0	73.1	···	···	···	···	···	···	31.8	···	···	···
BS 16981-009	···	···	72.1	···	···	22.3	···	···	···	···	···	···	···
BS 16981-018	184.3	···	···	···	···	191.9	···	188.9	163.9	···	···	···	···
BS 16986-072	122.1	···	184.2	···	148.9	157.1	148.8	155.7	101.1	183.3	···	165.1	108.7
BS 17139-007	···	46.9	39.1	11.5	···	···	···	···	29.7	···	···	···	···
BS 17139-018	72.3	···	103.4	···	65.9	103.6	···	86.4	62.7	67.4	20.1	94.8	···
BS 17439-003	123.4	···	141.2	···	···	94.5	···	···	···	126.5	···	84.7	···
BS 17439-038	166.5	···	···	···	···	163.0	···	153.3	···	···	···	170.3	···
BS 17439-062	127.4	···	157.1	···	121.1	129.8	···	111.1	129.6	···	···	118.2	···
BS 17444-032	···	42.6	28.6	···	···	···	···	···	···	···	···	···	···
BS 17444-055	99.2	···	153.1	···	104.0	129.8	···	140.2	97.0	83.6	···	98.3	···
BS 17446-025	···	···	···	···	···	···	···	···	···	···	···	···	···
BS 17570-090	···	33.6	···	···	···	···	···	···	···	···	···	···	···
BS 17572-048	87.4	137.8	119.0	···	86.3	105.8	···	95.7	82.2	82.2	···	···	···
BS 17572-067	51.9	87.2	91.8	···	50.4	73.1	···	···	35.5	48.2	···	···	···
BS 17576-002	42.8	89.7	83.0	64.6	36.9	56.1	30.8	37.0	33.4	···	···	···	···
BS 17576-071	19.1	75.9	54.3	40.6	···	···	···	···	···	···	···	···	···
BS 17577-054	123.4	···	167.4	···	118.2	143.7	···	118.5	108.5	107.6	54.9	142.6	61.7
BS 17581-042	107.3	···	125.7	···	90.4	119.9	90.3	94.4	82.4	85.5	···	110.1	···
BS 17581-052	153.1	···	···	···	122.1	···	···	173.2	162.3	98.8	···	137.7	84.4
BS 17581-093	119.3	···	132.6	···	104.9	128.3	···	118.6	104.6	94.9	···	120.8	53.7
BS 17581-101	169.6	···	···	···	140.3	181.4	151.9	149.4	158.0	127.9	···	148.7	···
BS 17581-113	···	···	···	···	···	···	···	···	···	···	···	···	···
BS 17585-080	122.2	···	···	···	101.2	···	···	113.1	103.9	···	36.7	121.2	···
BS 17587-003	106.6	···	144.5	···	108.3	99.3	···	98.5	88.9	89.9	···	93.4	···
BS 17587-016	112.7	···	127.4	···	99.2	104.7	···	···	81.3	82.8	···	92.2	···
BS 17587-021	···	···	···	···	···	···	···	···	···	···	···	···	150.7
BS 17587-099	···	···	···	···	···	···	188.9	···	···	···	···	···	···
BS 17587-118	137.2	···	170.6	···	114.0	158.1	128.5	130.4	124.3	111.5	···	137.8	···
CS 22174-012	49.7	91.6	75.9	···	···	···	41.4	38.2	···	···	···	···	···
CS 22180-005	···	75.5	68.3	···	···	···	15.6	···	···	···	···	···	···
CS 22183-031	···	73.7	66.0	···	···	···	···	···	···	···	···	···	···
CS 22185-007	29.9	100.8	98.9	48.1	···	39.1	···	···	15.7	···	···	33.0	16.3

Table 6—Continued

Star ID	FeI 5393.17	FeI 5405.78	FeI 5434.53	FeI 5586.77	FeI 6065.49	FeI 6230.73	FeI 6252.56	FeI 6393.61	FeI 6411.65	FeI 6430.85	FeI 6609.11	FeI 6677.99	FeI 6750.15
CS 22189-003	150.3	···	···	···	150.9	···	···	···	141.0	···	···	185.7	82.8
CS 22190-007	···	64.7	53.5	25.4	18.8	···	···	22.4	···	···	···	···	···
CS 22880-086	···	92.4	90.6	27.1	16.8	20.6	···	···	···	···	···	···	···
CS 22883-020	23.1	69.2	48.2	40.2	···	15.6	···	10.5	···	···	···	27.3	···
CS 22890-077	199.9	···	···	···	···	···	···	···	···	···	···	···	149.8
CS 22893-010	···	···	64.9	···	···	···	···	···	···	···	···	···	···
CS 22944-032	···	···	38.4	18.5	···	33.8	29.7	···	···	···	···	···	···
CS 22949-029	···	···	55.4	···	···	···	20.3	···	···	···	···	···	···
CS 22950-153	39.0	96.6	78.0	60.2	31.4	56.7	21.9	42.3	33.7	34.4	···	43.9	···
CS 22957-022	···	80.4	71.2	···	···	···	···	···	···	···	···	···	···
CS 22962-006	···	···	···	···	···	···	14.7	···	···	···	···	···	···
CS 22963-004	···	37.5	···	···	···	···	···	···	···	···	···	···	···
CS 22965-016	···	115.9	103.0	···	···	···	···	···	···	25.8	···	···	···
CS 22965-029	···	97.2	77.6	41.6	26.0	41.7	19.9	···	···	···	···	···	···
CS 29497-040	···	57.3	47.5	···	···	···	···	···	···	···	···	···	···
CS 29502-092	···	80.4	75.0	37.0	···	···	···	18.4	···	···	···	24.0	···
CS 29510-008	48.3	96.9	104.6	···	···	55.9	···	···	···	46.0	···	46.6	···
CS 29510-058	···	103.2	86.5	···	22.4	46.7	25.0	···	···	···	···	···	···
CS 29517-025	···	···	···	···	···	···	···	···	···	···	···	···	···
CS 30301-043	···	···	···	···	···	···	···	···	···	···	149.5	···	···
CS 30306-082	21.2	55.3	49.4	···	···	···	···	···	···	···	···	···	···
CS 30306-110	···	73.7	73.5	···	···	···	···	···	31.1	···	···	30.1	···
CS 30306-126	23.9	80.7	69.8	···	···	···	···	40.4	···	···	···	18.1	···
CS 30311-012	171.6	···	···	···	···	···	···	···	···	···	···	···	···
CS 30311-050	47.9	106.3	89.3	···	52.6	70.8	53.9	···	39.9	38.5	···	56.0	···
CS 30315-093	···	66.0	54.7	···	···	···	···	···	···	···	···	···	···
CS 30320-006	25.7	95.9	73.3	57.8	···	40.5	···	···	···	···	···	···	···
CS 30320-069	···	···	32.6	···	···	···	···	···	···	···	···	21.9	···
CS 30325-028	···	···	···	···	···	···	28.6	34.7	···	···	···	···	···
CS 30329-078	54.0	···	···	···	···	···	39.2	53.9	···	···	···	43.3	···
CS 30329-129	···	75.4	74.0	···	···	29.3	···	···	···	···	···	···	···
CS 30331-018	···	104.8	99.8	71.0	···	78.9	69.8	70.2	···	61.9	···	54.8	···
CS 30332-067	···	···	···	···	···	43.8	···	43.2	···	27.6	···	35.7	···
CS 30332-114	···	83.9	65.2	···	···	···	23.2	37.0	···	···	···	37.3	···
CS 30338-119	34.2	111.9	107.6	71.1	38.0	48.3	34.2	42.9	···	37.7	···	35.5	···
CS 31060-030	42.9	97.3	97.7	79.7	33.2	···	31.4	49.3	···	35.3	···	···	···
CS 31060-043	39.4	105.6	85.0	66.2	34.2	45.0	···	···	···	35.2	···	33.7	···
CS 31061-062	···	···	54.7	···	···	···	···	···	···	···	···	···	···
CS 31062-050	···	79.6	58.7	···	···	28.0	···	···	···	···	···	17.2	···
CS 31069-064	20.3	104.0	80.6	34.5	···	···	···	···	···	···	···	···	···
CS 31070-058	49.4	136.8	123.3	84.9	49.2	77.5	57.6	62.3	42.0	71.4	···	56.9	17.8
CS 31078-018	15.6	68.3	66.4	32.8	···	35.3	···	···	···	···	···	···	···
CS 31083-059	87.3	···	111.9	140.8	92.2	97.2	66.0	94.2	85.9	64.6	···	83.7	32.4
CS 31085-024	···	49.1	44.7	···	···	···	···	···	···	···	···	···	···
CS 31088-083	46.4	105.8	99.2	67.0	33.9	59.4	42.6	43.8	···	33.8	···	41.0	···

Table 6—Continued

Star ID	FeI 5393.17	FeI 5405.78	FeI 5434.53	FeI 5586.77	FeI 6065.49	FeI 6230.73	FeI 6252.56	FeI 6393.61	FeI 6411.65	FeI 6430.85	FeI 6609.11	FeI 6677.99	FeI 6750.15

Table 7. Excitation potentials and oscillator strengths

Species	λ (Å)	log gf	EP (eV)	Source
MgI	4167.27	-0.770	4.34	1
MgI	5172.69	-0.381	2.71	2
MgI	5183.61	-0.158	2.72	2
MgI	5528.41	-0.480	4.34	3
CaI	4425.44	-0.358	1.88	4
CaI	5588.76	0.360	2.51	5
CaI	6122.22	-0.409	1.89	6
CaI	6162.18	0.100	1.90	6
CaI	6439.08	0.390	2.52	5
CaI	6471.66	-0.690	2.52	5
CaI	6717.68	-0.520	2.71	5
TiII	4028.34	-0.870	1.89	7
TiII	4395.04	-0.510	1.08	8
TiII	4399.77	-1.290	1.24	7
TiII	4443.81	-0.700	1.08	9
TiII	4468.50	-0.600	1.13	8
TiII	4563.76	-0.820	1.22	7
TiII	4571.98	-0.340	1.57	7
TiII	4589.95	-1.650	1.24	7
TiII	5336.79	-1.630	1.58	8
CrI	5345.80	-0.970	1.00	10
FeI	4045.82	0.280	1.49	11
FeI	4071.74	-0.022	1.61	12
FeI	4383.55	0.200	1.49	11
FeI	4404.76	-0.140	1.56	11
FeI	4442.35	-1.250	2.20	13
FeI	4919.00	-0.340	2.86	14
FeI	5068.77	-1.040	2.93	14
FeI	5074.75	-0.200	4.22	12
FeI	5133.69	0.140	4.18	12
FeI	5216.28	-2.150	1.61	11
FeI	5232.95	-0.100	2.94	15
FeI	5302.30	-0.720	3.28	15
FeI	5324.19	-0.100	3.21	15
FeI	5383.38	0.500	4.31	12
FeI	5393.17	-0.720	3.24	15
FeI	5405.78	-1.840	0.99	16
FeI	5434.53	-2.220	1.01	17
FeI	5586.77	-0.140	3.35	14
FeI	6065.49	-1.530	2.61	12

Table 7—Continued

Species	λ (Å)	log gf	EP (eV)	Source
FeI	6230.73	-1.280	2.56	12
FeI	6252.56	-1.690	2.40	12
FeI	6393.61	-1.430	2.43	15
FeI	6411.65	-0.600	3.65	15
FeI	6430.85	-2.010	2.18	12
FeI	6609.11	-2.692	2.56	12
FeI	6677.99	-1.42	2.68	14
FeI	6750.15	-2.621	2.42	12

References. — (1)Jönsson et al. 1984; (2) Carretta et al. 2002; (3) Bragaglia et al. 2001; (4) Wiese & Martin 1980; (5) Smith & Raggett 1981; (6) VALD database (as of 2004 May), Kupka et al. 1999; (7) Magain 1990, Zhao & Magain 1990; (8) Bizzarri et al. 1993; (9) Martin et al. 1998; (10) Blackwell et al. 1984; (11) Blackwell et al. 1980; (12) Fuhr et al. 1998; (13) Blackwell *et al.* 1982; (14) O'Brian et al. 1991; (15) Bard et al. 1991; (16) Blackwell et al. 1979; (17) Clementini et al. 2000

Table 8. Program Star Atmospheres and Radial Velocities

Star ID	T_{eff} (K)	$\log g$ (dex)	[M/H] (dex)	$T_{eff\,o}$ (K)	$\log g_o$ (dex)	$[M/H]_o$ (dex)	V_{rad} (km s^{-1})
BS 16076-006	5458	3.37	-3.00	5614	3.51	-3.00	202
BS 16077-007	6008	3.70	-3.00	5958	3.68	-2.75	-30
BS 16080-054	4832	1.82	-2.75	4838	1.83	-2.75	-124
BS 16080-093	5059	2.37	-2.75	5120	2.53	-2.75	-196
BS 16084-160	4751	1.63	-3.00	4762	1.66	-3.00	-108
BS 16467-062	5219	2.80	-3.50	5219	2.80	-3.50	-88
BS 16470-073	5134	2.57	-0.75	5309	3.07	-0.75	24
BS 16470-092	5812	3.61	-2.00	5948	3.67	-1.75	28
BS 16472-018	4868	1.90	-2.50	4946	2.08	-2.50	67
BS 16472-081	4685	1.48	-1.75	4835	1.82	-1.50	-58
BS 16477-003	4893	1.96	-3.00	4919	2.02	-3.00	-191
BS 16543-092	4519	1.13	-2.25	4523	1.14	-2.25	-102
BS 16546-076	4729	1.58	-1.75	4775	1.68	-1.75	125
BS 16547-005	4683	1.48	-2.00	4917	2.01	-1.75	-122
BS 16547-006	5489	3.41	-3.00	6047	3.72	-2.50	180
BS 16547-025	4829	1.81	-2.00	5197	2.74	-1.75	-72
BS 16547-032	5094	2.46	-0.75	5481	3.40	-0.75	0
BS 16547-072	4938	2.07	-0.75	5422	3.32	-0.75	-39
BS 16547-082	4956	2.11	-1.00	5481	3.40	-0.75	75
BS 16547-099	5140	2.58	-2.00	5856	3.63	-1.50	144
BS 16550-087	4754	1.64	-3.00	4791	1.72	-3.00	-144
BS 16551-058	4799	1.74	-2.00	4937	2.06	-2.00	-38
BS 16559-060	5088	2.45	-1.00	5732	3.57	-0.75	21
BS 16559-083	5088	2.45	-1.00	5572	3.48	-0.75	-98
BS 16559-108	5094	2.46	-0.75	5422	3.32	-0.75	4
BS 16920-017	4841	1.84	-3.00	4854	1.87	-3.00	-226
BS 16928-053	4730	1.58	-2.75	4743	1.61	-2.75	-80
BS 16929-005[†]	···	···	···	5212	2.78	-3.25	-54
BS 16934-009[*]	···	···	···	4258	0.59	-0.75	53
BS 16934-072	6099	3.74	-2.00	6187	3.78	-2.00	-96
BS 16945-054	5281	2.99	-2.75	5281	2.99	-2.75	-71
BS 16972-003	6137	3.76	-2.50	6231	3.80	-2.50	-30
BS 16972-013	5616	3.51	-2.00	5715	3.56	-2.00	137
BS 16981-009	5222	2.81	-3.00	5259	2.92	-2.75	-110
BS 16981-018	5015	2.26	-0.75	5114	2.51	-0.75	-5
BS 16986-072	4420	0.92	-1.50	4478	1.04	-1.50	35
BS 17139-007[†]	···	···	···	5918	3.66	-2.50	-64
BS 17139-018	5517	3.43	-1.00	5574	3.48	-1.00	-34
BS 17439-003	5834	3.62	-0.75	6052	3.72	-0.75	-26
BS 17439-038	5309	3.07	-0.75	5451	3.36	-0.75	-2

Table 8—Continued

Star ID	T_{eff} (K)	log$g$ (dex)	[M/H] (dex)	T_{effo} (K)	logg_o (dex)	[M/H]$_o$ (dex)	V_{rad} (km s^{-1})
BS 17439-062	5667	3.54	-0.75	5869	3.64	-0.75	12
BS 17444-032†	···	···	···	5960	3.68	-2.50	149
BS 17444-055	4937	2.07	-1.25	5085	2.44	-1.25	-86
BS 17446-025†	···	···	···	5960	3.68	-2.50	-162
BS 17570-090	5859	3.63	-2.50	5924	3.66	-2.50	-232
BS 17572-048	5670	3.55	-0.75	5834	3.62	-0.75	22
BS 17572-067	6082	3.74	-1.00	6202	3.79	-1.00	-15
BS 17576-002	6012	3.70	-1.50	6203	3.78	-1.50	123
BS 17576-071	6041	3.71	-1.75	6200	3.79	-1.75	105
BS 17577-054	5572	3.48	-0.75	5732	3.57	-0.75	-19
BS 17581-042	5780	3.61	-0.75	5977	3.69	-0.75	13
BS 17581-052	5155	2.62	-0.75	5309	3.07	-0.75	128
BS 17581-093	5905	3.66	-0.75	6090	3.74	-0.75	28
BS 17581-101	5309	3.07	-0.75	5422	3.32	-0.75	40
BS 17585-080*	···	···	···	4630	1.36	-1.50	60
BS 17587-003	5700	3.56	-0.75	5869	3.64	-0.75	1
BS 17587-016	5869	3.64	-0.75	6014	3.71	-0.75	-18
BS 17587-021	5337	3.14	-0.75	5481	3.40	-0.75	12
BS 17587-099	5603	3.50	-0.75	5766	3.59	-0.75	129
BS 17587-118	5451	3.36	-0.75	5605	3.50	-0.75	35
CS 22174-012	4851	1.86	-2.50	4934	2.06	-2.50	-231
CS 22180-005	5735	3.57	-2.00	5851	3.63	-2.00	55
CS 22183-031	5277	2.98	-3.00	5416	3.31	-2.75	10
CS 22185-007	4905	1.99	-2.50	5193	2.73	-2.50	102
CS 22189-003	6067	4.60	-0.75	6192	4.56	-0.75	-42
CS 22190-007	5880	3.64	-2.25	6013	3.71	-2.00	-110
CS 22880-086	5214	2.79	-2.75	5457	3.37	-2.50	-106
CS 22883-020	5962	3.68	-2.25	6099	3.74	-2.00	-182
CS 22890-077	4358	0.79	-0.75	4524	1.14	-0.75	-24
CS 22893-010	5388	3.26	-2.50	5528	3.44	-2.50	-28
CS 22944-032	5381	3.25	-2.75	5528	3.44	-2.50	34
CS 22949-029	6029	3.71	-1.75	6244	3.81	-1.75	30
CS 22950-153	5052	2.35	-2.25	5293	3.02	-2.25	-160
CS 22957-022	5031	2.29	-3.00	5075	2.41	-3.00	-34
CS 22962-006	6198	4.55	-2.25	6325	4.51	-2.25	30
CS 22963-004	5612	3.50	-3.25	5803	3.61	-3.00	293
CS 22965-016	4847	1.85	-2.75	4904	1.99	-2.50	-95
CS 22965-029	5229	2.83	-2.50	5467	3.38	-2.50	-33
CS 29497-040	5416	3.31	-2.75	5487	3.41	-2.75	-160
CS 29502-092	4828	1.81	-3.00	5114	2.51	-3.00	-67

Table 8—Continued

Star ID	T_{eff} (K)	log$g$ (dex)	[M/H] (dex)	T_{effo} (K)	logg_o (dex)	$[M/H]_o$ (dex)	V_{rad} (km s^{-1})
CS 29510-008	5509	3.43	-1.75	5577	3.48	-1.75	67
CS 29510-058	5131	2.56	-2.50	5192	2.73	-2.50	150
CS 29517-025	5538	3.45	-2.25	5647	3.53	-2.25	-168
CS 30301-043	4300	0.67	-0.75	4387	0.86	-0.75	22
CS 30306-082 †	...	...	...	5598	3.50	-2.75	-36
CS 30306-110	5851	3.63	-2.00	6056	3.72	-2.00	-90
CS 30306-126	5661	3.53	-2.00	5812	3.61	-2.00	18
CS 30311-012	4810	1.77	-0.75	4864	1.89	-0.75	-6
CS 30311-050	5605	3.50	-1.50	5710	3.56	-1.50	194
CS 30315-093	5564	3.47	-2.50	5638	3.52	-2.50	-169
CS 30320-006	5554	3.47	-2.00	5661	3.53	-2.00	-124
CS 30320-069	6032	3.71	-2.00	6119	3.75	-2.00	-139
CS 30325-028	4834	1.82	-2.75	4887	1.95	-2.75	-127
CS 30329-078	4887	1.95	-2.25	5475	3.39	-1.75	-10
CS 30329-129	4919	2.02	-3.00	5467	3.37	-2.50	-242
CS 30331-018	5199	2.75	-2.00	5379	3.24	-1.75	-16
CS 30332-067	5485	3.40	-2.00	5661	3.53	-2.00	-172
CS 30332-114	5400	3.28	-2.25	5851	3.63	-2.00	-52
CS 30338-119	5418	3.32	-2.00	5611	3.50	-1.75	-222
CS 31060-030	5611	3.50	-1.75	5682	3.55	-1.75	-64
CS 31060-043	5354	3.19	-2.00	5452	3.36	-2.00	191
CS 31061-062	5297	3.03	-2.75	5465	3.38	-2.75	-58
CS 31062-050	5214	2.79	-2.75	5313	3.08	-2.75	9
CS 31069-064	5400	3.28	-2.25	5468	3.38	-2.25	-158
CS 31070-058	4779	1.69	-2.25	4864	1.89	-2.25	-163
CS 31078-018	4922	2.03	-3.00	5106	2.49	-3.00	82
CS 31083-059	5054	2.36	-0.75	5905	3.66	-0.75	4
CS 31085-024	4823	1.79	-3.50	4931	2.05	-3.25	-322
CS 31088-083	5089	2.45	-2.25	5386	3.26	-2.00	-77

Note. — The *o* subscript designates the dereddened parameters.

†These objects have derived photometry from Allende Prieto et al. 2000, where only intrinsic $B - V_o$ color is given.

*The photometry without reddening correction falls out of our range to derive an atmosphere.

Table 9. Line Information

Star ID	Fe lines	σ Fe	Mg lines	σ Mg	Ca lines	σ Ca	TiII lines	σ TiII	BaII lines	σ BaII
BD-03 2525	6	0.31	1	···	4	0.21	3	0.12	2	0.23
BD+02 3375	11	0.19	2	0.02	4	0.07	5	0.10	1	···
BD+23 3130	16	0.15	1	···	5	0.11	3	0.36	2	0.27
BD+37 1458	20	0.12	1	···	4	0.16	4	0.16	2	0.06
HD 6755	17	0.17	1	···	5	0.21	4	0.21	2	0.24
HD 44007	16	0.12	1	···	6	0.22	4	0.11	2	0.13
HD 63791	16	0.19	1	···	6	0.07	3	0.38	2	0.22
HD 74462	14	0.19	1	···	4	0.24	2	0.06	1	···
HD 84937	5	0.08	1	···	3	0.06	5	0.06	1	···
HD 94028	15	0.19	2	0.10	4	0.18	3	0.07	2	0.08
HD 115444	20	0.15	1	···	5	0.16	5	0.09	2	0.30
HD 122563	17	0.19	2	0.16	5	0.26	3	0.25	2	0.19
HD 163810	19	0.14	2	0.03	5	0.20	4	0.12	2	0.03
HD 204543	19	0.17	1	···	5	0.10	4	0.24	1	···
M15-K341	17	0.12	1	···	5	0.16	4	0.24	1	···
M15-S4	17	0.24	···	···	6	0.13	1	···	1	···
M92 VII-18	13	0.16	···	···	4	0.19	2	0.08	1	···
BS 16085-050	13	0.18	1	···	3	0.21	3	0.16	1	···
CS 22166-016	12	0.17	3	0.14	5	0.15	5	0.28	2	0.30
CS 22183-015	7	0.22	2	0.10	1	···	1	···	2	0.37
CS 22878-101	10	0.22	1	···	···	···	3	0.14	1	···
CS 22892-052	6	0.19	2	0.00	2	0.15	1	···	2	0.18
CS 22898-027	5	0.32	1	···	1	···	1	···	1	···
CS 22949-048	11	0.23	1	···	2	0.07	4	0.14	1	···
CS 31082-001	7	0.24	1	···	4	0.09	4	0.17	1	···
BS 16076-006	6	0.30	2	0.09	···	···	1	···	1	···
BS 16077-007	6	0.14	3	0.24	2	0.07	5	0.24	1	···
BS 16080-054	14	0.15	2	0.04	3	0.07	4	0.15	2	0.34
BS 16080-093	8	0.21	1	···	2	0.06	4	0.14	2	0.23
BS 16084-160	15	0.26	1	···	3	0.29	4	0.23	2	0.20
BS 16467-062	6	0.17	2	0.03	1	···	3	0.06	1	···
BS 16470-073	9	0.17	···	···	2	0.20	1	···	2	0.06
BS 16470-092	13	0.13	2	0.12	4	0.21	6	0.19	1	···
BS 16472-018	15	0.16	2	0.40	5	0.12	4	0.05	2	0.29
BS 16472-081	18	0.30	1	···	3	0.21	1	···	2	0.20
BS 16477-003	7	0.25	1	···	1	···	5	0.18	1	···
BS 16543-092	21	0.15	1	···	5	0.19	3	0.12	2	0.32
BS 16546-076	12	0.22	···	···	1	···	4	0.18	1	···
BS 16547-005	19	0.16	1	···	5	0.16	4	0.24	2	0.12
BS 16547-006	7	0.21	3	0.26	2	0.11	3	0.30	2	0.12

Table 9—Continued

Star ID	Fe lines	σ Fe	Mg lines	σ Mg	Ca lines	σ Ca	TiII lines	σ TiII	BaII lines	σ BaII
BS 16547-025	20	0.19	1	···	6	0.17	3	0.16	2	0.02
BS 16547-032	16	0.18	···	···	2	0.21	2	0.18	2	0.08
BS 16547-072	14	0.23	···	···	3	0.16	1	···	2	0.07
BS 16547-082	15	0.25	···	···	2	0.24	1	···	2	0.04
BS 16547-099	14	0.19	1	···	3	0.15	4	0.32	1	···
BS 16550-087	8	0.21	2	0.01	1	···	5	0.15	2	0.02
BS 16551-058	19	0.17	2	0.04	5	0.19	4	0.15	2	0.21
BS 16559-060	16	0.17	···	···	5	0.35	2	0.05	2	0.09
BS 16559-083	15	0.19	···	···	3	0.32	1	···	2	0.08
BS 16559-108	15	0.26	···	···	4	0.15	1	···	1	···
BS 16920-017	11	0.22	2	0.13	1	···	4	0.22	1	···
BS 16928-053	16	0.30	3	0.05	4	0.08	3	0.11	2	0.27
BS 16929-005	7	0.10	2	0.11	···	···	4	0.19	1	···
BS 16934-009	4	0.05	···	···	2	0.12	2	0.28	1	···
BS 16934-072	10	0.17	2	0.17	3	0.16	4	0.28	1	···
BS 16945-054	11	0.26	3	0.30	2	0.11	3	0.27	1	···
BS 16972-003	9	0.22	2	0.04	4	0.21	4	0.18	1	···
BS 16972-013	10	0.10	1	···	5	0.21	4	0.06	2	0.40
BS 16981-009	8	0.23	1	···	1	···	3	0.26	1	···
BS 16981-018	6	0.21	···	···	1	···	1	···	1	···
BS 16986-072	17	0.27	1	···	5	0.11	2	0.34	1	···
BS 17139-007	11	0.35	2	0.36	2	0.15	6	0.16	1	···
BS 17139-018	16	0.22	···	···	4	0.30	2	0.32	2	0.16
BS 17439-003	8	0.43	1	···	3	0.25	1	···	1	···
BS 17439-038	9	0.18	···	···	2	0.06	1	···	1	···
BS 17439-062	12	0.16	···	···	4	0.28	3	0.10	2	0.04
BS 17444-032	8	0.19	2	0.12	3	0.38	3	0.14	1	···
BS 17444-055	15	0.27	···	···	5	0.26	2	0.07	2	0.06
BS 17446-025	3	0.21	1	···	···	···	3	0.34	1	···
BS 17570-090	7	0.24	3	0.12	···	···	5	0.09	1	···
BS 17572-048	15	0.23	1	···	6	0.27	5	0.22	2	0.04
BS 17572-067	14	0.18	2	0.13	5	0.15	3	0.05	2	0.07
BS 17576-002	20	0.17	2	0.25	5	0.09	4	0.04	2	0.15
BS 17576-071	13	0.21	2	0.16	5	0.25	5	0.06	1	···
BS 17577-054	15	0.17	···	···	4	0.29	3	0.03	2	0.13
BS 17581-042	16	0.17	1	···	5	0.19	4	0.31	2	0.04
BS 17581-052	11	0.29	···	···	2	0.43	1	···	1	···
BS 17581-093	15	0.19	···	···	5	0.21	1	···	2	0.06
BS 17581-101	11	0.16	···	···	3	0.30	2	0.32	1	···
BS 17581-113	···	···	···	···	···	···	···	···	···	···

Table 9—Continued

Star ID	Fe lines	σ Fe	Mg lines	σ Mg	Ca lines	σ Ca	TiII lines	σ TiII	BaII lines	σ BaII
BS 17585-080	11	0.48	· · ·	· · ·	4	0.20	1	· · ·	2	0.30
BS 17587-003	15	0.15	1	· · ·	4	0.17	4	0.12	2	0.13
BS 17587-016	14	0.18	1	· · ·	5	0.18	3	0.36	2	0.04
BS 17587-021	1	· · ·	· · ·	· · ·	1	· · ·	1	· · ·	1	· · ·
BS 17587-099	1	· · ·	· · ·	· · ·	· · ·	· · ·	1	· · ·	1	· · ·
BS 17587-118	14	0.19	· · ·	· · ·	5	0.26	4	0.36	1	· · ·
CS 22174-012	11	0.33	2	0.27	6	0.22	3	0.24	2	0.10
CS 22180-005	9	0.23	· · ·	· · ·	3	0.16	4	0.31	1	· · ·
CS 22183-031	7	0.30	3	0.14	3	0.22	3	0.16	2	0.32
CS 22185-007	15	0.19	1	· · ·	4	0.18	3	0.18	1	· · ·
CS 22189-003	7	0.24	· · ·	· · ·	3	0.44	1	· · ·	· · ·	· · ·
CS 22190-007	12	0.19	2	0.25	4	0.29	6	0.23	1	· · ·
CS 22880-086	15	0.29	2	0.10	4	0.22	5	0.34	1	· · ·
CS 22883-020	14	0.20	3	0.08	3	0.08	6	0.26	1	· · ·
CS 22890-077	2	0.25	· · ·	· · ·	1	· · ·	1	· · ·	· · ·	· · ·
CS 22893-010	4	0.33	2	0.12	4	0.24	4	0.31	1	· · ·
CS 22944-032	11	0.34	1	· · ·	3	0.16	2	0.01	1	· · ·
CS 22949-029	5	0.30	· · ·	· · ·	3	0.20	2	0.11	· · ·	· · ·
CS 22950-153	21	0.18	2	0.28	6	0.18	5	0.30	2	0.15
CS 22957-022	11	0.16	2	0.02	5	0.07	4	0.30	1	· · ·
CS 22962-006	1	· · ·	· · ·	· · ·	· · ·	· · ·	· · ·	· · ·	2	0.14
CS 22963-004	4	0.22	3	0.27	2	0.00	2	0.08	1	· · ·
CS 22965-016	5	0.14	· · ·	· · ·	2	0.23	1	· · ·	1	· · ·
CS 22965-029	15	0.20	2	0.08	5	0.14	6	0.27	2	0.21
CS 29497-040	7	0.18	2	0.00	· · ·	· · ·	4	0.26	1	· · ·
CS 29502-092	13	0.20	2	0.15	5	0.23	4	0.13	1	· · ·
CS 29510-008	16	0.22	2	0.18	4	0.15	3	0.07	2	0.22
CS 29510-058	12	0.16	1	· · ·	4	0.08	3	0.09	2	0.17
CS 29517-025	4	0.09	· · ·	· · ·	3	0.36	2	0.25	2	0.06
CS 30301-043	1	· · ·	· · ·	· · ·	· · ·	· · ·	· · ·	· · ·	1	· · ·
CS 30306-082	10	0.21	4	0.15	2	0.21	4	0.32	1	· · ·
CS 30306-110	11	0.27	2	0.10	1	· · ·	3	0.34	1	· · ·
CS 30306-126	13	0.17	2	0.17	4	0.19	6	0.15	2	0.32
CS 30311-012	2	0.25	· · ·	· · ·	· · ·	· · ·	1	· · ·	· · ·	· · ·
CS 30311-050	16	0.11	1	· · ·	4	0.28	4	0.08	2	0.27
CS 30315-093	9	0.24	1	· · ·	2	0.13	2	0.18	1	· · ·
CS 30320-006	12	0.14	2	0.00	4	0.16	4	026	1	· · ·
CS 30320-069	11	0.25	2	0.05	3	0.16	4	0.27	1	· · ·
CS 30325-028	6	0.16	· · ·	· · ·	2	0.18	4	0.30	1	· · ·
CS 30329-078	9	0.16	1	· · ·	2	0.01	4	0.21	1	· · ·

Table 9—Continued

Star ID	Fe lines	σ Fe	Mg lines	σ Mg	Ca lines	σ Ca	TiII lines	σ TiII	BaII lines	σ BaII
CS 30329-129	10	0.15	1	···	2	0.35	3	0.07	1	···
CS 30331-018	14	0.20	2	0.24	4	0.17	3	0.24	2	0.02
CS 30332-067	6	0.05	1	···	3	0.32	···	···	2	0.14
CS 30332-114	12	0.15	1	···	3	0.22	3	0.07	2	0.22
CS 30338-119	15	0.29	2	0.16	5	0.25	4	0.17	1	···
CS 31060-030	16	0.23	1	···	4	0.26	4	0.19	2	0.15
CS 31060-043	16	0.15	3	0.40	4	0.15	4	0.12	2	0.26
CS 31061-062	6	0.18	3	0.05	2	0.13	5	0.14	1	···
CS 31062-050	7	0.14	1	···	1	···	1	···	1	···
CS 31069-064	8	0.28	1	···	4	0.08	2	0.14	1	···
CS 31070-058	22	0.15	1	···	6	0.22	4	0.11	2	0.19
CS 31078-018	13	0.24	1	···	4	0.11	4	0.23	2	0.16
CS 31083-059	18	0.26	1	···	6	0.22	3	0.02	2	0.15
CS 31085-024	8	0.35	1	···	1	···	3	0.08	1	···
CS 31088-083	15	0.14	2	0.03	4	0.09	3	0.12	2	0.30

Table 10. Stellar Parameters from Previous Studies

Star ID	T_{eff} (K)	log g (dex)	[Fe/H] (dex)	ξ (km s^{-1})	Ref.
BD-03 2525	5750	3.6	-1.96	0.10	1
BD+02 3375	5950	3.9	-2.32	1.00	1
BD+23 3130	5000	2.8	-2.70	1.40	1
BD+37 1458	5200	3.0	-2.00	1.25	1
HD 6755	5150	2.8	-1.58	1.50	1
HD 44007	4850	2.0	-1.71	2.20	1
HD 63791	4725	1.7	-1.81	1.60	1
HD 74462	4600	1.5	-1.56	1.80	2
HD 84937	6375	4.1	-2.08	0.80	1
HD 94028	5900	4.2	-1.55	1.45	1
HD 115444	4750	1.7	-2.77	1.60	2
HD 122563	4425	0.6	-2.79	2.05	1
HD 163810	5200	4.0	-1.49	0.70	1
HD 204543	4700	1.7	-1.84	2.00	2
M15-S4	4160	0.53	-2.59	2.0	3,4
M15-K341	4275	0.45	-2.45	2.0	5
M92 VII-18	4255	0.70	-2.37	2.0	5
BS 16085-050	4750	1.00	-3.15	2.30	6
CS 22166-016	5250	2.00	-2.40	2.20	6
CS 22183-015	5200	2.50	-3.0	1.50	7
CS 22878-101	4775	1.30	-3.07	2.01	8
CS 22892-052	4800	1.50	-3.10	1.95	9
CS 22898-027	6250	3.70	-2.25	1.50	10
CS 22949-048	4750	1.10	-3.17	2.30	11,12
CS 31082-001	4825	1.50	-2.90	1.80	13

References. — (1) Fulbright 2000; (2) Pilachowski et al. 1996; (3) Kraft & Ivans 2003; (4) Sneden et al. 1997; (5) Sneden et al. 2000; (6) Giridhar et al. 2001; (7) Johnson & Bolte 2002; (8) Carretta et al. 2002; (9) Sneden et al. 2003; (10) Aoki et al. 2002; (11) McWilliam et al. 1995;

(12) McWilliam et al. 1998; (13) Hill et al. 2002

Table 11. Derived Stellar Parameters and Measured Radial Velocities

Star ID	T$_{eff}$ $(B-V)$	log g $(B-V)$	T$_{eff}$ $(b-y)$	log g $(b-y)$	T$_{eff}$ $(V-K)$	log g $(V-K)$	[Fe/H] (dex)	V$_{rad}$ (km s^{-1})
BD-03 2525	5831	3.62	5789	3.60	5820	3.62	-1.75	33
BD+02 3375	5918	4.64	5926	4.63	5855	4.65	-2.25	-402
BD+23 3130	5224	2.82	···	···	5112	2.51	-2.50	-290
BD+37 1458	5386	3.26	5332	3.13	5324	3.11	-2.00	241
HD 6755	4986	2.18	5075	2.41	5022	2.28	-1.50	-310
HD 44007	4741	1.61	4773	1.68	4690	1.49	-2.00	167
HD 63791	4745	1.62	4619	1.34	4578	1.25	-1.75	-109
HD 74462	4571	1.24	4510	1.11	4412	0.91	-1.75	-167
HD 84937	6142	4.57	6312	4.51	6217	4.55	-2.00	-9
HD 94028	5914	4.64	5925	4.63	5930	4.63	-1.50	64
HD 115444	4807	1.76	4775	1.68	4694	1.50	-2.75	-21
HD 122563	4635	1.37	4610	1.32	4603	1.31	-2.50	-35
HD 163810	5408	4.73	5392	4.73	5323	4.74	-1.50	195
HD 204543	4715	1.55	4570	1.24	4543	1.18	-1.75	-115
BS 16085-050	···	···	4882	1.93	4868	1.90	-3.00	-73
CS 22166-016	5388	3.26	···	···	5236	2.85	-2.50	-209
CS 22183-015	5178	2.69	···	···	···	···	-3.25	-72
CS 22878-101	4902	1.98	4789	1.72	4912	2.01	-3.00	-131
CS 22892-052	4854	1.87	···	···	4924	2.03	-3.00	11
CS 22898-027	5880	3.64	5750	3.58	···	···	-2.25	-49
CS 22949-048	4828	1.81	···	···	···	···	-3.00	-159
CS 31082-001	4847	1.85	4893	1.96	4926	2.04	-2.75	139

Table 12. [Fe/H] and [Mg/Fe] for abundance standards

Star ID	[Fe/H] previous	[Fe/H] lit. atm.	[Fe/H] $(B-V)$	[Fe/H] $(b-y)$	[Mg/Fe] previous	[Mg/Fe] lit. atm.	[Mg/Fe] $(B-V)$	[Mg/Fe] $(b-y)$
BD-03 2525	-1.96	-1.47	-1.71	-1.75	0.37	0.49	0.56	0.57
BD+02 3375	-2.32	-2.06	-2.25	-2.25	0.52	0.37	0.47	0.47
BD+23 3130	-2.70	-2.61	-2.59	···	0.55	0.63	0.59	···
BD+37 1458	-2.00	-2.06	-1.97	-2.01	0.54	0.61	0.54	0.56
HD 6755	-1.58	-1.36	-1.85	-1.63	0.26	0.31	0.53	0.44
HD 44007	-1.71	-1.96	-1.93	-1.89	0.33	0.74	0.84	0.82
HD 63791	-1.81	-1.92	-1.70	-1.87	0.43	0.61	0.57	0.67
HD 74462	-1.56	-1.55	-1.66	-1.76	0.38	0.69	0.78	0.82
HD 84937	-2.08	-1.65	-2.14	-1.91	0.35	0.25	0.23	0.22
HD 94028	-1.55	-1.40	-1.37	-1.36	0.53	0.51	0.36	0.36
HD 115444	-2.77	-2.79	-2.83	-2.86	0.25	0.42	0.47	0.49
HD 122563	-2.79	-2.68	-2.51	-2.54	0.63	0.50	0.34	0.36
HD 163810	-1.49	-1.21	-1.29	-1.31	0.40	0.38	0.25	0.26
HD 204543	-1.84	-1.80	-1.77	-1.98	0.28	0.50	0.50	0.62
BS 16085-050	-3.15	-3.00	···	-2.88	0.88	0.78	···	0.73
CS 22166-016	-2.40	-2.69	-2.47	···	0.68	0.78	0.58	···
CS 22183-015	-3.12	-2.99	-3.17	···	···	1.02	0.95	···
CS 22878-101	-3.07	-2.96	-2.93	-3.02	0.68	···	···	···
CS 22892-052	-3.10	-3.05	-2.99	···	0.30	0.63	0.58	···
CS 22898-027	-2.36	-2.24	-2.29	-2.39	0.09	-0.05	-0.05	-0.06
CS 22949-048	-3.17	-2.97	-2.90	···	0.22	0.50	0.44	···
CS 31082-001	-2.90	-2.74	-2.82	-2.78	0.36	0.42	0.58	0.56
M15-S4	-2.42	-2.41	···	···	0.71	0.62	···	···
M15-k341	-2.45	-2.29	···	···	···	0.76	···	···
M92-VII 18	-2.37	-2.26	···	···	···	0.26	···	···

Table 13. [Ca/Fe] and [Cr/Fe] for abundance standards

Star ID	[Ca/Fe] previous	[Ca/Fe] lit. atm.	[Ca/Fe] $(B-V)$	[Ca/Fe] $(b-y)$	[Cr/Fe] previous	[Cr/Fe] lit. atm.	[Cr/Fe] $(B-V)$	[Cr/Fe] $(b-y)$
BD-03 2525	0.24	0.56	0.42	0.44	-0.14	⋯	⋯	⋯
BD+02 3375	0.38	0.27	0.38	0.39	0.00	⋯	⋯	⋯
BD+23 3130	0.40	0.37	0.38	⋯	-0.17	⋯	⋯	⋯
BD+37 1458	0.38	0.40	0.35	0.36	-0.17	-0.39	-0.31	-0.32
HD 6755	0.27	0.28	0.39	0.34	-0.07	-0.16	-0.18	-0.14
HD 44007	0.28	0.66	0.72	0.71	-0.29	0.07	0.06	0.06
HD 63791	0.40	0.53	0.50	0.55	-0.20	-0.18	-0.19	-0.23
HD 74462	0.19	0.51	0.57	0.58	⋯	-0.19	-0.17	-0.22
HD 84937	0.39	0.14	0.41	0.29	0.01	⋯	⋯	⋯
HD 94028	0.38	0.48	0.40	0.40	0.03	-0.30	-0.28	-0.28
HD 115444	0.03	0.25	0.31	0.32	⋯	-0.02	0.05	0.05
HD 122563	0.33	0.41	0.31	0.32	-0.25	⋯	⋯	⋯
HD 163810	0.36	0.22	0.21	0.21	0.06	-0.07	0.02	0.02
HD 204543	0.17	0.48	0.48	0.53	⋯	-0.17	-0.17	-0.22
BS 16085-050	0.55	0.44	⋯	0.39	-0.27	⋯	⋯	⋯
CS 22166-016	0.50	0.36	0.28	⋯	-0.85	⋯	⋯	⋯
CS 22183-015	⋯	0.33	0.43	⋯	⋯	⋯	⋯	⋯
CS 22878-101	0.32	⋯	⋯	⋯	-0.32	⋯	⋯	⋯
CS 22892-052	0.30	0.45	0.45	⋯	-0.20	⋯	⋯	⋯
CS 22898-027	0.37	-0.01	0.03	0.05	⋯	⋯	⋯	⋯
CS 22949-048	0.35	0.10	0.07	⋯	-0.27	⋯	⋯	⋯
CS 31082-001	0.41	0.36	0.39	0.41	-0.34	⋯	⋯	⋯
M15-S4	0.12	0.39	⋯	⋯	⋯	-0.47	⋯	⋯
M15-k341	0.56	0.57	⋯	⋯	⋯	-0.25	⋯	⋯
M92-VII 18	0.35	0.49	⋯	⋯	⋯	-0.45	⋯	⋯

Table 14. [TII/Fe] and [Ba II/Fe] for abundance standards

Star ID	[TII/Fe] previous	[TII/Fe] lit. atm.	[TII/Fe] $(B-V)$	[TII/Fe] $(b-y)$	[Ba II/Fe] previous	[Ba II/Fe] lit. atm.	[Ba II/Fe] $(B-V)$	[Ba II/Fe] $(b-y)$
BD-03 2525	0.25	0.22	-0.02	-0.01	0.10	-0.06	-0.37	-0.37
BD+02 3375	0.42	0.45	0.80	0.80	-0.25	-0.41	-0.02	-0.01
BD+23 3130	0.23	0.23	0.33	···	-0.53	-0.33	-0.25	···
BD+37 1458	0.18	0.03	0.04	0.02	0.09	0.07	0.02	0.00
HD 6755	0.24	0.13	0.10	0.00	0.03	-0.01	-0.22	-0.25
HD 44007	0.25	0.24	0.11	0.10	-0.27	-0.05	-0.17	-0.18
HD 63791	0.27	0.29	0.16	0.24	-0.33	-0.27	-0.31	-0.29
HD 74462	···	0.09	-0.03	0.01	···	-0.13	-0.34	-0.34
HD 84937	0.40	0.56	0.92	0.76	0.00	-0.36	-0.07	-0.07
HD 94028	0.40	0.24	0.48	0.48	0.28	-0.09	0.15	-0.04
HD 115444	···	0.56	0.50	0.49	···	0.56	0.36	0.34
HD 122563	0.22	0.45	0.47	0.48	-1.04	-1.16	-1.01	-1.01
HD 163810	0.18	0.11	0.35	0.37	-0.01	-0.01	0.08	0.09
HD 204543	···	0.68	0.58	0.73	···	0.27	0.21	0.23
BS 16085-050	0.21	0.11	···	0.42	-1.35	<-1.70	···	<-1.46
CS 22166-016	0.15	0.03	0.52	···	-0.37	-0.62	-0.19	···
CS 22183-015	0.39	0.03	0.14	···	2.09	1.77	···	···
CS 22878-101	0.24	0.33	0.53	0.52	···	-0.75	-0.52	-0.53
CS 22892-052	0.16	0.45	0.54	···	0.99	1.19	1.32	···
CS 22898-027[*]	0.52	0.96	1.00	1.01	2.23	2.26	2.20	2.16
CS 22949-048	0.28	0.03	0.26	···	<-1.84	<-1.58	<-1.38	···
CS 31082-001	0.31	0.36	0.49	0.49	···	0.09	0.14	0.11
M15-S4	···	0.70	···	···	···	-0.05	···	···
M15-k341	0.57	0.78	···	···	···	-0.12	···	···
M92-VII 18	0.08	0.60	···	···	···	-0.15	···	···

[*] The abundance for Ba II is taken from Aoki et al. (2002)

Table 15. Sensitivity of Abundances to Atmospheric Parameters: HD 94028

Element	ΔT +125 K	Δlog g +0.5 dex	$\Delta\xi$ +0.5 km s^{-1}	Δ[Fe/H] +0.2 dex	Total
[Fe/H]	0.11	0.12	-0.11	0.01	0.20
[Mg/Fe]	-0.03	0.09	0.07	0.00	0.12
[Ca/Fe]	0.00	0.09	0.02	0.00	0.09
[Cr/Fe]	0.00	-0.11	0.07	-0.01	0.13
[TII/Fe]	-0.06	-0.24	-0.04	0.01	0.25
[Ba II/Fe]	-0.01	-0.15	-0.09	0.01	0.18

Table 16. Sensitivity of Abundances to Atmospheric Parameters: BD+37 1458

Element	ΔT +125 K	Δlog g +0.5 dex	$\Delta\xi$ +0.5 km s^{-1}	Δ[Fe/H] +0.2 dex	Total
[Fe/H]	0.12	-0.06	-0.12	-0.01	0.17
[Mg/Fe]	-0.04	-0.06	-0.01	0.00	0.08
[Ca/Fe]	-0.03	-0.01	-0.03	0.00	0.05
[Cr/Fe]	0.01	0.06	0.09	0.00	0.11
[TII/Fe]	-0.07	0.23	0.04	0.03	0.22
[Ba II/Fe]	-0.02	0.17	-0.13	0.04	0.16

Table 17. Sensitivity of Abundances to Atmospheric Parameters: CS 22892-052

Element	ΔT +100 K	Δlog *g* +0.3 dex	$\Delta\xi$ +0.3 km s^{-1}	Δ[Fe/H] +0.2 dex	Total
[Fe/H]	0.14	-0.06	-0.19	-0.01	0.22
[Mg/Fe]	-0.03	-0.04	0.05	0.01	0.08
[Ca/Fe]	-0.05	0.05	0.15	0.01	0.15
[TII/Fe]	-0.09	0.19	-0.05	0.01	0.14
[Ba II/Fe]	-0.01	0.10	-0.17	-0.01	0.19

Table 18. Program Star Abundances with Dereddened Atmospheres

Star ID	[Fe/H]	[Mg/Fe]	[Ca/Fe]	[Cr/Fe]	[TiII/Fe]	[BaII/Fe]	[α/Fe]†
BS 16076-006	-3.00	0.43	···	···	0.28	<-0.56	0.36
BS 16077-007	-2.82	0.21	0.20	···	0.34	<-0.58	0.25
BS 16080-054	-2.74	0.68	0.32	···	0.87	-0.19	0.62
BS 16080-093	-2.73	0.35	0.20	···	0.59	0.11	0.38
BS 16084-160	-2.93	0.34	0.11	···	0.28	<-1.71	0.24
BS 16467-062	-3.79	0.50	···	···	0.49	< 0.09	0.50
BS 16470-073*	-0.42	···	0.47	0.07	0.06	-0.57	0.27
BS 16470-092	-1.83	0.56	0.39	···	0.41	-0.42	0.45
BS 16472-018*	-2.46	0.65	0.38	···	0.53	-0.09	0.52
BS 16472-081*	-1.56	0.77	0.54	-0.22	0.40	-0.06	0.57
BS 16477-003	-3.12	0.93	0.29	···	0.35	-0.32	0.52
BS 16543-092*	-2.36	0.77	0.40	-0.39	0.56	-0.58	0.58
BS 16546-076*	-1.74	···	0.48	0.04	0.06	0.10	0.27
BS 16547-005*	-1.79	0.72	0.47	-0.26	0.16	-0.15	0.45
BS 16547-006*	-2.43	0.55	0.18	···	0.22	-0.43	0.32
BS 16547-025*	-1.62	0.34	0.45	-0.12	0.73	0.48	0.51
BS 16547-032*	-0.13	···	0.14	-0.05	-0.68	-0.37	-0.27
BS 16547-072	-0.17	···	0.13	0.09	-0.13	-0.45	0.00
BS 16547-082	-0.32	···	0.35	0.04	0.27	-0.60	0.31
BS 16547-099*	-1.34	1.02	0.42	-0.04	0.33	0.68	0.59
BS 16550-087	-3.10	0.64	0.25	···	0.48	-0.98	0.46
BS 16551-058*	-2.01	0.65	0.55	-0.20	0.52	0.31	0.57
BS 16559-060*	-0.33	···	0.10	0.03	-0.47	-0.27	-0.19
BS 16559-083*	-0.48	···	0.50	···	0.44	-0.13	0.47
BS 16559-108	-0.35	···	0.25	-0.15	0.09	-0.46	0.17
BS 16920-017*	-3.02	0.29	0.24	···	0.50	<-1.37	0.34
BS 16928-053	-2.87	0.56	0.40	···	0.37	-0.75	0.44
BS 16929-005	-3.27	0.63	···	···	0.53	-0.20	0.58
BS 16934-009	-1.57	···	0.57	-0.42	0.63	0.22	0.60
BS 16934-072	-1.80	0.48	0.36	···	0.46	0.29	0.43
BS 16945-054	-2.93	0.58	0.58	···	0.42	-0.07	0.58
BS 16972-003	-2.42	0.66	0.39	···	0.31	-0.30	0.45
BS 16972-013	-1.96	0.39	0.37	-0.19	0.54	0.11	0.43
BS 16981-009	-2.88	0.61	0.57	···	0.28	0.06	0.49
BS 16981-018*	-0.07	···	-0.63	-0.32	-1.65	-1.14	-1.14
BS 16986-072*	-1.53	0.59	0.47	-0.22	0.30	-0.19	0.45
BS 17139-007	-2.42	0.47	0.07	···	-0.02	-0.57	0.17
BS 17139-018	-1.05	···	0.43	0.13	0.54	0.11	0.49
BS 17439-003	-0.32	0.08	0.04	···	0.39	-0.10	0.17
BS 17439-038*	0.03	···	-0.07	0.35	0.09	-0.66	0.01
BS 17439-062	0.01	···	0.46	-0.19	-0.86	-0.19	-0.20

Table 18—Continued

Star ID	[Fe/H]	[Mg/Fe]	[Ca/Fe]	[Cr/Fe]	[TiII/Fe]	[BaII/Fe]	[α/Fe][†]
BS 17444-032	-2.43	0.69	0.40	···	0.32	-0.44	0.47
BS 17444-055	-1.13	···	0.53	-0.10	-0.45	-0.65	0.04
BS 17446-025	-2.38	0.50	···	···	0.40	-0.82	0.45
BS 17570-090	-2.60	-0.19	···	···	-0.01	<-1.72	-0.10
BS 17572-048[*]	-0.55	0.28	0.29	···	0.30	-0.03	0.29
BS 17572-067[*]	-1.06	0.67	0.32	···	0.32	-0.25	0.44
BS 17576-002	-1.38	0.57	0.52	-0.20	0.35	-0.09	0.48
BS 17576-071[*]	-1.72	0.33	0.39	···	0.45	-0.12	0.39
BS 17577-054	-0.15	···	0.21	-0.03	-0.46	-0.31	-0.12
BS 17581-042[*]	-0.30	0.23	0.06	···	-0.33	-0.29	-0.01
BS 17581-052	-0.28	···	0.21	···	-0.83	-0.35	-0.31
BS 17581-093	0.07	···	0.05	0.20	-0.07	-0.08	-0.01
BS 17581-101	-0.02	···	0.04	-0.11	-1.01	-0.52	-0.48
BS 17581-113[‡]	···	···	···	···	···	···	···
BS 17585-080[*]	-1.38	···	0.45	-0.50	···	-0.53	0.45
BS 17587-003	-0.41	0.22	0.19	0.12	0.19	0.01	0.20
BS 17587-016	-0.27	0.28	0.19	-0.17	0.10	-0.10	0.19
BS 17587-021	0.93	···	0.06	···	-1.02	-1.03	-0.48
BS 17587-099	0.70	···	···	···	0.46	-0.71	0.46
BS 17587-118	-0.10	···	0.13	0.24	-0.48	-0.46	-0.17
CS 22174-012	-2.52	0.87	0.55	···	0.01	-0.90	0.48
CS 22180-005	-1.99	···	0.11	···	0.56	0.03	0.34
CS 22183-031[*]	-2.71	0.69	0.23	···	0.31	0.46	0.41
CS 22185-007	-2.45	0.29	0.23	0.11	0.54	-0.46	0.35
CS 22189-003[*]	0.45	···	-0.02	-0.04	-1.18	···	-0.60
CS 22190-007[*]	-2.02	0.20	0.11	···	1.12	0.91	0.46
CS 22880-086	-2.42	0.08	-0.11	···	0.30	-0.74	0.09
CS 22883-020	-2.02	0.32	0.37	···	0.34	-0.75	0.34
CS 22890-077	-0.54	···	0.76	···	0.06	···	0.41
CS 22893-010[*]	-2.38	0.20	0.16	···	0.52	<-1.00	0.29
CS 22944-032	-2.64	0.59	0.22	···	1.04	-0.58	0.62
CS 22949-029	-1.70	···	0.09	···	-0.03	···	0.03
CS 22950-153[*]	-2.10	0.66	0.39	-0.21	0.42	-0.25	0.49
CS 22957-022	-3.02	0.55	0.44	···	0.35	-0.89	0.45
CS 22962-006	-2.25	···	···	···	···	<-0.43	···
CS 22963-004[*]	-3.03	0.26	0.26	···	0.27	<-0.27	0.26
CS 22965-016	-2.59	···	0.32	···	0.63	<-1.07	0.48
CS 22965-029	-2.31	0.30	0.35	···	1.01	0.16	0.55
CS 29497-040	-2.80	0.53	···	···	0.46	<-0.89	0.50
CS 29502-092	-2.92	0.42	0.27	0.00	0.36	-0.92	0.35
CS 29510-008	-1.69	0.54	0.31	-0.21	0.20	-0.24	0.35

Table 18—Continued

Star ID	[Fe/H]	[Mg/Fe]	[Ca/Fe]	[Cr/Fe]	[TiII/Fe]	[BaII/Fe]	[α/Fe][†]
CS 29510-058	-2.51	0.48	0.28	···	0.50	-0.14	0.42
CS 29517-025	-2.19	···	0.61	-0.09	1.01	0.71	0.81
CS 30301-043	-0.61	···	···	···	···	-1.13	···
CS 30306-082	-2.60	0.45	0.07	···	0.47	-0.41	0.33
CS 30306-110[*]	-1.85	0.19	-0.21	···	0.07	-0.65	0.02
CS 30306-126[*]	-1.93	0.36	0.10	···	0.03	-0.58	0.16
CS 30311-012	-0.23	···	···	···	0.82	···	0.82
CS 30311-050[*]	-1.51	0.38	0.37	···	0.23	-0.12	0.33
CS 30315-093	-2.56	0.32	0.36	···	0.68	-0.52	0.45
CS 30320-006[*]	-1.89	0.60	0.30	0.08	0.09	-0.61	0.33
CS 30320-069	-2.02	0.05	0.03	···	0.13	<-0.62	0.07
CS 30325-028	-2.79	···	0.49	···	0.53	-1.62	0.51
CS 30329-078[*]	-1.77	0.79	0.22	-0.10	0.34	0.09	0.45
CS 30329-129	-2.41	0.33	0.34	···	0.54	-0.60	0.40
CS 30331-018[*]	-1.77	0.48	0.30	-0.22	0.44	0.02	0.41
CS 30332-067	-1.97	0.84	0.54	-0.19	···	-0.38	0.69
CS 30332-114	-1.85	0.36	0.25	···	0.30	-0.31	0.30
CS 30338-119	-1.82	0.14	0.29	-0.12	-0.29	-0.60	0.05
CS 31060-030	-1.68	0.73	0.63	···	-0.08	-0.83	0.43
CS 31060-043[*]	-2.06	-0.12	0.12	···	-0.07	0.79	-0.02
CS 31061-062[*]	-2.62	0.55	0.50	···	0.64	-0.22	0.56
CS 31062-050[*]	-2.65	0.94	0.44	-0.01	0.92	2.37	0.77
CS 31069-064	-2.19	0.30	0.20	···	-0.19	-0.90	0.10
CS 31070-058[*]	-2.29	0.43	0.34	-0.13	0.21	-0.21	0.33
CS 31078-018[*]	-3.02	0.51	0.46	···	0.23	0.13	0.40
CS 31083-059[*]	-0.55	0.53	0.35	0.16	-0.36	-0.46	0.17
CS 31085-024	-3.30	0.58	0.08	···	-0.21	<-1.32	0.15
CS 31088-083[*]	-1.99	0.54	0.23	···	0.47	-0.06	0.41

[*] Eu probable, 4129.2 EuII line is present but could not be measured.

[†] Average of Mg, Ca, and TiII

[‡] ikely metal rich, all lines measured > 200 mÅ

Table 19. Program Star Abundances with no reddening correction in Atmospheres

Star ID	[Fe/H]	[Mg/Fe]	[Ca/Fe]	[Cr/Fe]	[TiII/Fe]	[BaII/Fe]
BS 16076-006	-3.16	0.46	···	···	0.32	< -0.54
BS 16077-007	-2.82	0.21	0.20	···	0.34	< -0.58
BS 16080-054	-2.74	0.69	0.32	···	0.87	-0.18
BS 16080-093	-2.78	0.37	0.21	···	0.57	-0.14
BS 16084-160	-2.94	0.34	0.13	···	0.27	< -1.72
BS 16467-062	-3.79	0.50	···	···	0.49	< 0.09
BS 16470-073	-0.83	···	0.67	-0.09	-0.10	-0.78
BS 16470-092	-1.95	0.61	0.42	···	0.45	-0.42
BS 16472-018	-2.54	0.70	0.41	···	0.41	-0.19
BS 16472-081	-1.71	0.87	0.58	-0.26	0.39	-0.15
BS 16477-003	-3.14	0.94	0.29	···	0.34	-0.33
BS 16543-092	-2.37	0.77	0.40	-0.38	0.57	-0.58
BS 16546-076	-1.80	···	0.50	0.03	0.08	0.11
BS 16547-005	-2.02	0.87	0.55	-0.31	0.15	-0.28
BS 16547-006	-2.97	0.69	0.37	···	0.42	< -0.36
BS 16547-025	-1.95	0.55	0.57	-0.20	0.61	0.28
BS 16547-032	-0.65	···	0.37	-0.34	-0.75	-0.56
BS 16547-072	-0.83	···	0.36	-0.23	-0.26	-0.68
BS 16547-082	-1.03	···	0.58	-0.20	0.21	-0.96
BS 16547-099	-2.13	1.63	0.60	-0.03	0.31	0.35
BS 16550-087	-3.13	0.66	0.26	···	0.47	-1.00
BS 16551-058	-2.16	0.75	0.59	-0.22	0.54	0.26
BS 16559-060	-1.15	···	0.40	-0.19	-0.39	-0.48
BS 16559-083	-1.12	···	0.81	···	0.38	-0.40
BS 16559-108	-0.89	···	0.51	-0.35	0.02	-0.65
BS 16920-017	-3.04	0.30	0.25	···	0.50	< -1.39
BS 16928-053	-2.88	0.56	0.40	···	0.36	-0.75
BS 16929-005	···	···	···	···	···	···
BS 16934-009	···	···	···	···	···	···
BS 16934-072	-1.88	0.52	0.39	···	0.49	0.29
BS 16945-054	-2.93	0.58	0.58	···	0.42	-0.07
BS 16972-003	-2.51	0.69	0.44	···	0.37	-0.27
BS 16972-013	-2.05	0.43	0.40	-0.19	0.57	0.11
BS 16981-009	-2.91	0.63	0.47	···	0.26	0.20
BS 16981-018	-0.16	···	-0.63	-0.40	-1.67	-1.19
BS 16986-072	-1.61	0.63	0.49	-0.28	0.36	-0.17
BS 17139-007	···	···	···	···	···	···
BS 17139-018	-1.10	···	0.33	0.11	0.45	0.01
BS 17439-003	-0.53	0.16	0.11	···	0.50	-0.07
BS 17439-038	-0.02	···	-0.05	0.29	0.06	-0.73
BS 17439-062	-0.17	···	0.49	-0.24	-0.76	-0.16

Table 19—Continued

Star ID	[Fe/H]	[Mg/Fe]	[Ca/Fe]	[Cr/Fe]	[TiII/Fe]	[BaII/Fe]
BS 17444-032	···	···	···	···	···	···
BS 17444-055	-1.29	···	0.59	-0.15	-0.45	-0.70
BS 17446-025	···	···	···	···	···	···
BS 17570-090	-2.66	-0.17	···	···	0.01	< -1.71
BS 17572-048	-0.71	0.34	0.33	···	0.39	0.02
BS 17572-067	-1.15	0.71	0.33	···	0.35	-0.28
BS 17576-002	-1.52	0.63	0.54	-0.22	0.38	-0.09
BS 17576-071	-1.84	0.39	0.42	···	0.49	-0.14
BS 17577-054	-0.29	···	0.24	-0.07	-0.38	-0.28
BS 17581-042	-0.49	0.30	0.11	···	-0.22	-0.25
BS 17581-052	-0.66	···	0.39	···	-0.84	-0.40
BS 17581-093	-0.10	···	0.09	0.17	0.00	-0.05
BS 17581-101	-0.07	···	0.06	-0.17	-1.07	-0.57
BS 17581-113	···	···	···	···	···	···
BS 17585-080	···	···	···	···	···	···
BS 17587-003	-0.57	0.28	0.22	0.09	0.16	0.04
BS 17587-016	-0.40	0.50	0.22	-0.19	0.34	0.01
BS 17587-021	0.87	···	0.09	···	-1.04	-1.05
BS 17587-099	0.71	···	···	···	0.39	-0.82
BS 17587-118	-0.24	···	0.16	0.19	-0.42	-0.44
CS 22166-016	-2.52	0.59	0.29	···	0.49	-0.27
CS 22174-012	-2.59	0.91	0.57	···	-0.01	-0.94
CS 22180-005	-2.09	···	0.13	···	0.58	0.04
CS 22183-031	-3.00	0.88	0.40	···	0.25	0.34
CS 22185-007	-2.68	0.39	0.28	0.04	0.40	-0.69
CS 22189-003	0.30	···	0.00	-0.05	-1.04	···
CS 22190-007	-2.14	0.23	0.15	···	1.17	0.92
CS 22880-086	-2.74	0.23	0.04	···	0.14	-0.83
CS 22883-020	-2.16	0.36	0.43	···	0.40	-0.51
CS 22890-077	-0.72	···	0.74	···	0.13	···
CS 22893-010	-2.51	0.25	0.21	···	0.54	<-1.03
CS 22944-032	-2.77	0.61	0.25	···	1.06	-0.62
CS 22949-029	-1.90	···	0.17	···	0.06	···
CS 22950-153	-2.42	0.84	0.44	-0.17	0.22	-0.52
CS 22957-022	-3.05	0.56	0.44	···	0.32	-0.93
CS 22962-006	-2.33	···	···	···	···	< -0.41
CS 22963-004	-3.22	0.31	0.34	···	0.33	<-0.51
CS 22965-016	-2.65	···	0.35	···	0.63	<-1.10
CS 22965-029	-2.61	0.44	0.43	···	0.82	-0.08
CS 29497-040	-2.87	0.55	···	···	0.47	< -0.90
CS 29502-092	-3.16	0.54	0.33	-0.05	0.26	-1.12

Table 19—Continued

Star ID	[Fe/H]	[Mg/Fe]	[Ca/Fe]	[Cr/Fe]	[TiII/Fe]	[BaII/Fe]
CS 29510-008	-1.76	0.57	0.33	-0.20	0.23	-0.24
CS 29510-058	-2.56	0.50	0.29	···	0.47	-0.19
CS 29517-025	-2.30	···	0.65	-0.08	1.04	0.73
CS 30301-043	-0.72	···	···	···	···	-1.12
CS 30306-082	···	···	···	···	···	···
CS 30306-110	-2.04	0.25	-0.14	···	0.32	-0.63
CS 30306-126	-2.07	0.43	0.15	···	0.08	-0.57
CS 30311-012	-0.28	···	···	···	0.84	···
CS 30311-050	-1.60	0.42	0.38	···	0.26	-0.11
CS 30315-093	-2.63	0.32	0.38	···	0.70	-0.52
CS 30320-006	-2.01	0.65	0.33	0.08	0.12	-0.59
CS 30320-069	-2.08	0.08	0.04	···	0.14	-0.63
CS 30325-028	-2.83	···	0.50	···	0.52	-0.41
CS 30329-078	-2.39	1.31	0.32	-0.16	0.06	-0.46
CS 30329-129	-3.03	0.72	0.54	···	0.30	-0.90
CS 30331-018	-2.09	0.63	0.36	-0.13	0.33	-0.24
CS 30332-067	-2.11	0.88	0.57	-0.22	···	-0.40
CS 30332-114	-2.26	0.53	0.37	···	0.40	-0.31
CS 30338-119	-1.96	0.21	0.33	-0.15	-0.27	-0.64
CS 31060-030	-1.74	0.75	0.64	···	-0.07	-0.84
CS 31060-043	-2.15	-0.10	0.15	···	-0.07	0.77
CS 31061-062	-2.73	0.61	0.50	···	0.57	-0.35
CS 31062-050	-2.86	1.01	0.54	0.09	0.94	2.36
CS 31069-064	-2.25	0.33	0.22	···	-0.19	-0.92
CS 31070-058	-2.37	0.47	0.36	-0.15	0.20	-0.27
CS 31078-018	-3.17	0.58	0.49	···	0.16	0.01
CS 31083-059	-1.62	1.26	0.67	-0.12	-0.45	-1.34
CS 31085-024	-3.38	0.58	0.08	···	-0.21	<-1.32
CS 31088-083	-2.38	0.71	0.31	···	0.29	-0.37